

Active Recombinant Mouse Tnfsf11 Protein, His-tagged

Cat. No. Tnfsf11-6552M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Purified recombinant protein of Mouse tumor necrosis factor (ligand) superfamily, member 11 (Tnfsf11 / RANKL / Trance) with a N-His tag was expressed in Sf9.
Species	Mouse
Source	Sf9 Cells
ProteinLength	Lis158-Asp316
Description	Cytokine that binds to TNFRSF11B/OPG and to TNFRSF11A/RANK. Osteoclast differentiation and activation factor. Augments the ability of dendritic cells to stimulate naive T-cell proliferation. May be an important regulator of interactions between T-cells and dendritic cells and may play a role in the regulation of the T-cell-dependent immune response. May also play an important role in enhanced bone-resorption in humoral hypercalcemia of malignancy. Induces osteoclastogenesis by activating multiple signaling pathways in osteoclast precursor cells, chief among which is induction of long lasting oscillations in the intracellular concentration of Ca (2+) resulting in the activation of NFATC1, which translocates to the nucleus and induces osteoclast-specific gene transcription to allow differentiation of osteoclasts. During osteoclast differentiation, in a TMEM64 and ATP2A2-dependent manner induces activation of CREB1 and mitochondrial ROS generation necessary for proper osteoclast generation.
Bio-activity	Bioactivity was measured by its property to induce osteoclast differentiation in

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	RAW264.7 cells in the absence of any cross-linking. The bioactivity is equivalent to competitor cytokines.
Molecular Mass	20 kDa
Endotoxin	Less than 0.01 ng/μg protein as determined by the LAL method
Purity	> 95%, as determined by Coomassie stained SDS-PAGE.
Stability	Unopened vial can be stored between 2 and 8 centigrade for up to 2 weeks, at -20 centigrade for up to 6 months, or at -70 centigrade or below until the expiration date. Aliquots can be stored between 2 and 8 centigrade for up to one week and stored at -20 centigrade or colder for up to 3 months. Avoid repeated freeze/thaw cycles.
Storage	Store at -80 centigrade.
Concentration	Protein formulated and vialled at >50 μg/mL in specified buffer
Storage Buffer	1 x PBS

GENE INFORMATION

Gene Name	Tnfsf11 tumor necrosis factor (ligand) superfamily, member 11 [Mus musculus (house mouse)]
Official Symbol	Tnfsf11
Synonyms	TNFSF11; tumor necrosis factor (ligand) superfamily, member 11; tumor necrosis factor ligand superfamily member 11; OPG ligand; osteoprotegerin ligand; osteoclast differentiation factor; receptor activator of NF-kappaB ligand; TNF-related activation-induced cytokine; receptor activator of nuclear factor kappa B ligand; receptor

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



activator of nuclear factor kappa-B ligand; tumor necrosis factor-related activation-induced cytokine; ODF; OPG; OPGL; RANKL; Ly109l; Trance

Gene ID 21943

mRNA Refseq NM_011613

Protein Refseq NP_035743

UniProt ID O35235

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA