

Recombinant Human ATP5D, GST-tagged

Cat. No. ATP5D-10017H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human ATP5D protein, fused to GST-tag, was expressed in E.coli and purified by GSH-sepharose.
Species	Human
Source	E.coli
ProteinLength	1-168a.a.
Description	This gene encodes a subunit of mitochondrial ATP synthase. Mitochondrial ATP synthase catalyzes ATP synthesis, utilizing an electrochemical gradient of protons across the inner membrane during oxidative phosphorylation. ATP synthase is composed of two linked multi-subunit complexes: the soluble catalytic core, F1, and the membrane-spanning component, Fo, comprising the proton channel. The catalytic portion of mitochondrial ATP synthase consists of 5 different subunits (alpha, beta, gamma, delta, and epsilon) assembled with a stoichiometry of 3 alpha, 3 beta, and a single representative of the other 3. The proton channel consists of three main subunits (a, b, c). This gene encodes the delta subunit of the catalytic core. Alternatively spliced transcript variants encoding the same isoform have been identified.
Storage	The protein is stored in PBS buffer at -20°C. Avoid repeated freezing and thawing cycles.
Storage Buffer	1M PBS (58mM Na ₂ HPO ₄ , 17mM NaH ₂ PO ₄ , 68mM NaCl, pH8.) added with 100mM

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GSH and 1% Triton X-100,15%glycerol.

GENE INFORMATION

Gene Name	ATP5D ATP synthase, H ⁺ transporting, mitochondrial F1 complex, delta subunit [Homo sapiens]
Official Symbol	ATP5D
Synonyms	ATP5D; ATP synthase, H ⁺ transporting, mitochondrial F1 complex, delta subunit; ATP synthase subunit delta, mitochondrial; F-ATPase delta subunit; mitochondrial ATP synthase, delta subunit; mitochondrial ATP synthase complex delta-subunit precursor;
Gene ID	513
mRNA Refseq	NM_001001975
Protein Refseq	NP_001001975
MIM	603150
UniProt ID	P30049
Chromosome Location	19p13.3
Pathway	Alzheimers disease, organism-specific biosystem; Alzheimers disease, conserved biosystem; Electron Transport Chain, organism-specific biosystem; F-type ATPase, eukaryotes, organism-specific biosystem; Formation of ATP by chemiosmotic coupling, organism-specific biosystem; Huntingtons disease, organism-specific

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



biosystem; Huntingtons disease, conserved biosystem;

Function

contributes_to ADP binding; contributes_to ATP binding; contributes_to ATPase activity; hydrogen ion transporting ATP synthase activity, rotational mechanism; protein complex binding; proton-transporting ATPase activity, rotational mechanism; transmembran

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA