

Recombinant Human ATP, His-tagged

Cat. No. ATP6V1D-10045H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human ATPHis-tag, was expressed in E.coli and purified by Ni-sepharose.
Species	Human
Source	E.coli
ProteinLength	1-247a.a.
Description	This gene encodes a component of vacuolar ATPase (V-ATPase), a multisubunit enzyme that mediates acidification of eukaryotic intracellular organelles. V-ATPase dependent organelle acidification is necessary for such intracellular processes as protein sorting, zymogen activation, receptor-mediated endocytosis, and synaptic vesicle proton gradient generation. V-ATPase is composed of a cytosolic V1 domain and a transmembrane V0 domain. The V1 domain consists of three A and three B subunits, two G subunits plus the C, D, E, F, and H subunits. The V1 domain contains the ATP catalytic site. The V0 domain consists of five different subunits: a, c, c", and d. Additional isoforms of many of the V1 and V0 subunit proteins are encoded by multiple genes or alternatively spliced transcript variants. This gene encodes the V1 domain D subunit protein.
Storage	The protein is stored in PBS buffer at -20°C. Avoid repeated freezing and thawing cycles.
Storage Buffer	1M PBS (58mM Na ₂ HPO ₄ , 17mM NaH ₂ PO ₄ , 68mM NaCl, pH8.) added with 300mM

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Imidazole and 0.7% Sarcosyl, 15%glycerol.

GENE INFORMATION

Gene Name [ATP6V1D ATPase, H+ transporting, lysosomal 34kDa, V1 subunit D \[Homo sapiens \]](#)

Official Symbol [ATP6V1D](#)

Synonyms

ATP6V1D; ATPase, H+ transporting, lysosomal 34kDa, V1 subunit D; ATP6M, ATPase, H+ transporting, lysosomal (vacuolar proton pump); V-type proton ATPase subunit D; VATD; VMA8; V-ATPase D subunit; V-ATPase subunit D; vacuolar H-ATPase subunit D; vacuolar proton pump D subunit; vacuolar proton pump subunit D; vacuolar ATP synthase subunit D; vacuolar proton-ATPase subunit D; V-ATPase 28 kDa accessory protein; vacuolar proton pump delta polypeptide; ATPase, H+ transporting lysosomal, member M; H(+)-transporting two-sector ATPase, subunit M; ATPase, H+ transporting, lysosomal (vacuolar proton pump); ATP6M;

Gene ID [51382](#)

mRNA Refseq [NM_015994](#)

Protein Refseq [NP_057078](#)

MIM [609398](#)

UniProt ID [Q9Y5K8](#)

Chromosome Location [14q23-q24.2](#)

Pathway [Collecting duct acid secretion, organism-specific biosystem; Collecting duct acid](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

secretion, conserved biosystem; Epithelial cell signaling in Helicobacter pylori infection, organism-specific biosystem; Epithelial cell signaling in Helicobacter pylori infection, conserved biosystem; Insulin receptor recycling, organism-specific biosystem; Iron uptake and transport, organism-specific biosystem; Metabolic pathways, organism-specific biosystem;

Function

ATPase activity, coupled to transmembrane movement of substances; protein binding; proton-transporting ATPase activity, rotational mechanism;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA