

# Recombinant COVID-19 Spike RBD (V367F) protein, His-tagged

**Cat. No.** Spike-387V    **Lot. No.** (See product label)

## SPECIFICATION

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Overview</b> | Recombinant COVID-19 Spike RBD (V367F) protein(YP_009724390.1)(Arg 319 - Phe 541), fused to His tag at the C-terminus, was expressed in HEK293.                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Species</b>          | Sars-CoV-2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Source</b>           | HEK293                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>ProteinLength</b>    | Arg 319 - Phe 541                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Description</b>      | It's been reported that SARS-CoV-2 can infect the human respiratory epithelial cells through interaction with the human ACE2 receptor. The spike protein is a large type I transmembrane protein containing two subunits, S1 and S2. S1 mainly contains a receptor binding domain (RBD), which is responsible for recognizing the cell surface receptor. S2 contains basic elements needed for the membrane fusion. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity. |
| <b>Form</b>             | Lyophilized from 0.22 µm filtered solution in PBS, pH7.4. Normally trehalose is added as protectant before lyophilization.                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Molecular Mass</b>   | The protein has a calculated MW of 27.0 kDa. The protein migrates as 33-35 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Endotoxin</b>        | Less than 1.0 EU per µg by the LAL method.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |


 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

|                         |                                                                                                                                                                                                                                                                                                                                        |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Purity</b>           | >95% as determined by SDS-PAGE.                                                                                                                                                                                                                                                                                                        |
| <b>Storage</b>          | <p>For long term storage, the product should be stored at lyophilized state at -20°C or lower.</p> <p>Please avoid repeated freeze-thaw cycles.</p> <p>This product is stable after storage at:</p> <p>-20°C to -70°C for 12 months in lyophilized state;</p> <p>-70°C for 3 months under sterile conditions after reconstitution.</p> |
| <b>Reconstitution</b>   | It is recommended that sterile water be added to the vial to prepare a stock solution of 0.25 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.                                                                                                                                                         |
| <b>GENE INFORMATION</b> |                                                                                                                                                                                                                                                                                                                                        |
| <b>Gene Name</b>        | S surface glycoprotein [ Severe acute respiratory syndrome coronavirus 2 ]                                                                                                                                                                                                                                                             |
| <b>Official Symbol</b>  | S                                                                                                                                                                                                                                                                                                                                      |
| <b>Synonyms</b>         | Spike; S protein RBD; Spike glycoprotein Receptor-binding domain; S glycoprotein RBD; Spike protein RBD; COVID-19                                                                                                                                                                                                                      |
| <b>Gene ID</b>          | 43740568                                                                                                                                                                                                                                                                                                                               |
| <b>Protein Refseq</b>   | YP_009724390.1                                                                                                                                                                                                                                                                                                                         |
| <b>UniProt ID</b>       | P0DTC2                                                                                                                                                                                                                                                                                                                                 |

## Bioactivity-ELISA



Immobilized Human ACE2, Fc Tag at 2 µg/mL (100 µL/well) can bind SARS-CoV-2 S protein RBD (V367F), His Tag with a linear range of 1-16 ng/mL.

## SDS-PAGE

