

Recombinant Human BAG1, His-tagged

Cat. No. BAG1-10124H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human BAG1 protein, fused to His-tag, was expressed in E.coli and purified by Ni-sepharose.
Species	Human
Source	E.coli
ProteinLength	C-term-310a.a.
Description	The oncogene BCL2 is a membrane protein that blocks a step in a pathway leading to apoptosis or programmed cell death. The protein encoded by this gene binds to BCL2 and is referred to as BCL2-associated athanogene. It enhances the anti-apoptotic effects of BCL2 and represents a link between growth factor receptors and anti-apoptotic mechanisms. Multiple protein isoforms are encoded by this mRNA through the use of a non-AUG (CUG) initiation codon, and three alternative downstream AUG initiation codons. A related pseudogene has been defined on chromosome X.
Storage	The protein is stored in PBS buffer at -20°C. Avoid repeated freezing and thawing cycles.
Storage Buffer	1M PBS (58mM Na ₂ HPO ₄ , 17mM NaH ₂ PO ₄ , 68mM NaCl, pH8.) added with 300mM Imidazole and 0.7% Sarcosyl, 15%glycerol.

GENE INFORMATION

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene Name	BAG1 BCL2-associated athanogene [Homo sapiens]
Official Symbol	BAG1
Synonyms	BAG1; BCL2-associated athanogene; BAG family molecular chaperone regulator 1; BAG-1; Bcl-2-binding protein; receptor-associated protein, 46-KD; Bcl-2 associating athanogene-1 protein; glucocortoid receptor-associated protein RAP46; HAP; RAP46;
Gene ID	573
mRNA Refseq	NM_001172415
Protein Refseq	NP_001165886
MIM	601497
UniProt ID	Q99933
Chromosome Location	9p12
Pathway	Androgen Receptor Signaling Pathway, organism-specific biosystem; Protein processing in endoplasmic reticulum, organism-specific biosystem; Protein processing in endoplasmic reticulum, conserved biosystem;
Function	chaperone binding; phosphoprotein binding; protein binding; receptor signaling protein activity;