

Recombinant Human CXCL11 Protein, DYKDDDDK-tagged

Cat. No. CCL11-01H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant protein from the full-length sequence of Homo sapiens C-X-C motif chemokine ligand 11 (CXCL11), transcript variant 1 (NM_005409), with a DYKDDDDK tag was expressed in human cells.
Species	Human
Source	Human Cells
Description	Chemokines are a group of small (approximately 8 to 14 kDa), mostly basic, structurally related molecules that regulate cell trafficking of various types of leukocytes through interactions with a subset of 7-transmembrane, G protein-coupled receptors. Chemokines also play fundamental roles in the development, homeostasis, and function of the immune system, and they have effects on cells of the central nervous system as well as on endothelial cells involved in angiogenesis or angiostasis. Chemokines are divided into 2 major subfamilies, CXC and CC. This antimicrobial gene is a CXC member of the chemokine superfamily. Its encoded protein induces a chemotactic response in activated T-cells and is the dominant ligand for CXC receptor-3. The gene encoding this protein contains 4 exons and at least three polyadenylation signals which might reflect cell-specific regulation of expression. IFN-gamma is a potent inducer of transcription of this gene. Two transcript variants encoding different isoforms have been found for this gene.
Molecular Mass	8.3 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Endotoxin	< 0.1 ng/μg of protein (< 1 EU/μg)
Purity	> 90% by SDS-PAGE gel and Coomassie Blue staining
Applications	Antigens, Western, ELISA and other in vitro binding or in vivo functional assays, and protein-protein interaction studies; For research & development use only!
Storage Buffer	Purified protein formulated in a sterile solution of TBS buffer, pH7.4, without any preservatives.

GENE INFORMATION

Gene Name	CXCL11 C-X-C motif chemokine ligand 11 [Homo sapiens (human)]
Official Symbol	CXCL11
Synonyms	CXCL11; C-X-C motif chemokine ligand 11; IP9; H174; IP-9; b-R1; I-TAC; SCYB11; SCYB9B; C-X-C motif chemokine 11; beta-R1; chemokine (C-X-C motif) ligand 11; interferon gamma-inducible protein 9; interferon-inducible T-cell alpha chemoattractant; small inducible cytokine B11; small inducible cytokine subfamily B (Cys-X-Cys), member 11; small inducible cytokine subfamily B (Cys-X-Cys), member 9B
Gene ID	6373
mRNA Refseq	NM_005409
Protein Refseq	NP_005400
MIM	604852

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



UniProt ID

O14625

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA