

Recombinant Human KIR2DS2 Protein, His-tagged

Cat. No. KIR2DS2-151H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human killer cell immunoglobulin like receptor, two Ig domains and short cytoplasmic tail 2(KIR2DS2) protein, transcript variant 1(NM_012312), with a His tag, was expressed in human cells.
Species	Human
Source	Human Cells
Description	Killer cell immunoglobulin-like receptors (KIRs) are transmembrane glycoproteins expressed by natural killer cells and subsets of T cells. The KIR genes are polymorphic and highly homologous and they are found in a cluster on chromosome 19q13.4 within the 1 Mb leukocyte receptor complex (LRC). The gene content of the KIR gene cluster varies among haplotypes, although several 'framework' genes are found in all haplotypes (KIR3DL3, KIR3DP1, KIR3DL4, KIR3DL2). The KIR proteins are classified by the number of extracellular immunoglobulin domains (2D or 3D) and by whether they have a long (L) or short (S) cytoplasmic domain. KIR proteins with the long cytoplasmic domain transduce inhibitory signals upon ligand binding via an immune tyrosine-based inhibitory motif (ITIM), while KIR proteins with the short cytoplasmic domain lack the ITIM motif and instead associate with the TYRO protein tyrosine kinase binding protein to transduce activating signals. The ligands for several KIR proteins are subsets of HLA class I molecules; thus, KIR proteins are thought to play an important role in regulation of the immune response. This gene represents a haplotype-specific family member that encodes a protein with a short cytoplasmic tail. Alternative splicing results in multiple transcript variants.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Form	Purified protein formulated in a sterile solution of TBS buffer, pH7.265, without any preservatives.
Molecular Mass	31.5 kDa
Endotoxin	Endotoxin level is < 0.1 ng/g of protein (<1EU /g)
Purity	>90% by SDS-PAGE gel and Coomassie Blue staining
Applications	Antigens, Western, ELISA and other in vitro binding or in vivo functional assays, and protein-protein interaction studies.
GENE INFORMATION	
Gene Name	KIR2DS2 killer cell immunoglobulin-like receptor, two domains, short cytoplasmic tail, 2 [Homo sapiens]
Official Symbol	KIR2DS2
Synonyms	KIR2DS2; killer cell immunoglobulin-like receptor, two domains, short cytoplasmic tail, 2; killer cell immunoglobulin-like receptor 2DS2; 183ActI; CD158J; cl 49; nkat5; NKAT-5; p58 KIR; 1060P11.9.2; NK receptor 183 ActI; p58 NK receptor CL-49; MHC class I NK cell receptor; killer-cell Ig-like receptor; CD158 antigen-like family member J; natural killer associated transcript 5; natural killer-associated transcript 5; natural killer cell inhibitory receptor; p58 killer cell inhibitory receptor KIR-K7a; p58 natural killer cell receptor clone CL-49; killer-cell immunoglobulin-like receptor two domains short tail 2 protein; NKAT5; cl-49; CD158b; MGC120018; MGC120020; MGC149477; MGC149478;
Gene ID	100132285

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq	NM_012312
Protein Refseq	NP_036444
MIM	604953
UniProt ID	P43631

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA