

Recombinant Human OMA1 Protein, His-tagged

Cat. No. OMA1-036H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant N-terminal His-tagged OMA1 human protein (217-524) was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	217-524
Description	Metalloprotease that is part of the quality control system in the inner membrane of mitochondria (PubMed:20038677, PubMed:25605331, PubMed:32132706, PubMed:32132707). Activated in response to various mitochondrial stress, leading to the proteolytic cleavage of target proteins, such as OPA1, UQCC3 and DELE1 (PubMed:20038677, PubMed:25275009, PubMed:32132706, PubMed:32132707). Following stress conditions that induce loss of mitochondrial membrane potential, mediates cleavage of OPA1 at S1 position, leading to OPA1 inactivation and negative regulation of mitochondrial fusion (PubMed:20038677, PubMed:25275009). Also acts as a regulator of apoptosis: upon BAK and BAX aggregation, mediates cleavage of OPA1, leading to the remodeling of mitochondrial cristae and allowing the release of cytochrome c from mitochondrial cristae (PubMed:25275009). In depolarized mitochondria, may also act as a backup protease for PINK1 by mediating PINK1 cleavage and promoting its subsequent degradation by the proteasome (PubMed:30733118). May also cleave UQCC3 in response to mitochondrial depolarization (PubMed:25605331). Also acts as an activator of the integrated stress

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

response (ISR): in response to mitochondrial stress, mediates cleavage of DELE1 to generate the processed form of DELE1 (S-DELE1), which translocates to the cytosol and activates EIF2AK1/HRI to trigger the ISR (PubMed:32132706, PubMed:32132707). Its role in mitochondrial quality control is essential for regulating lipid metabolism as well as to maintain body temperature and energy expenditure under cold-stress conditions (By similarity). Binds cardiolipin, possibly regulating its protein turnover (By similarity). Required for the stability of the respiratory supercomplexes (By similarity).

Molecular Mass	37.1 kDa
Purity	≥90%
Applications	WB, ELISA
Stability	≥ 1 year
Storage	At -80 centigrade.
Storage Buffer	50 mM Tris, pH 8.0, with 150 mM sodium chloride, 10% glycerol, 0.5 M L-arginine, and 2 μM zinc chloride

GENE INFORMATION

Gene Name	OMA1 OMA1 zinc metallopeptidase [Homo sapiens (human)]
Official Symbol	OMA1
Synonyms	OMA1; OMA1 zinc metallopeptidase; DAB1; MPRP1; MPRP-1; YKR087C; ZMPOMA1; peptidase; 2010001O09Rik; metalloendopeptidase OMA1, mitochondrial; OMA1 homolog, zinc metallopeptidase; OMA1 zinc metallopeptidase homolog;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

metalloprotease-related protein 1; overlapping activity with M-AAA protease;
overlapping with the m-AAA protease 1 homolog; zinc metallopeptidase OMA1

Gene ID 115209


mRNA Refseq NM_145243

Protein Refseq NP_660286

MIM 617081

UniProt ID Q96E52

**SDS-PAGE analysis
of OMA1**



Lane 1: MW Markers

Lane 2: NSD1 (1 µg)

Lane 3: NSD1 (2 µg)

Lane 4: NSD1 (5 µg)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA