

Recombinant Dog PRKACA protein, His-tagged

Cat. No. PRKACA-4494D **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Dog PRKACA protein(Q8MJ44)(2-350aa), fused to N-terminal His tag, was expressed in E. coli.
Species	Dog
Source	E.coli
ProteinLength	2-350aa
Form	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.
Molecular Mass	43.2 kDa
AA Sequence	GNAAAKKGSEQESVKEFLAKAKEDFLKKWENPAQNTAHLDDQFERIKTLGTGSFGRV MLVKHKETGNHFMKILDKQKVVKLKQIEHTLNEKRILQAVNFPFLVKLEFSFKDNSN LYVMMEYVPGGEMFSLRIRGRFSEPHARFYAAQIVLTFEYLHSLDLIYRDLKPENLL IDQQGYIQVTDGFAKRVKGRWTWLCGTPEYLAPEIILSKGYNKAVDWWALGVLIYE MAAGYPPFFADQPIQIYEKIVSGKVRFPESHSSDLKDLLRNLLQVDLTKRFGNLKNGV NDIKNHKWFATTDWIAIYQRKVEAPFIPKFKGPGDTSNFDDEEEEEIRVSINEKCGKE FCEF
Purity	Greater than 85% as determined by SDS-PAGE.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage

Store at -20°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.

Reconstitution

Reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C.

GENE INFORMATION
Gene Name

PRKACA protein kinase, cAMP-dependent, catalytic, alpha [*Canis lupus familiaris*]

Official Symbol

PRKACA

Synonyms

PRKACA; protein kinase, cAMP-dependent, catalytic, alpha; cAMP-dependent protein kinase catalytic subunit alpha; PKA C-alpha; protein kinase A alpha;

Gene ID

403556

mRNA Refseq

NM_001003032

Protein Refseq

NP_001003032

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA