

Recombinant Human CDC2L6, GST-tagged

Cat. No. CDC2L6-11004H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human CDC2L6 protein, fused to GST-tag, was expressed in E.coli and purified by GSH-sepharose.
Species	Human
Source	E.coli
ProteinLength	1-335a.a.
Description	This gene encodes a divergent member of the CD1 family of transmembrane glycoproteins, which are structurally related to the major histocompatibility complex (MHC) proteins and form heterodimers with beta-2-microglobulin. The CD1 proteins mediate the presentation of primarily lipid and glycolipid antigens of self or microbial origin to T cells. The human genome contains five CD1 family genes organized in a cluster on chromosome 1. The CD1 family members are thought to differ in their cellular localization and specificity for particular lipid ligands. The protein encoded by this gene localizes to late endosomes and lysosomes via a tyrosine-based motif in the cytoplasmic tail.
Storage	The protein is stored in PBS buffer at -20°C. Avoid repeated freezing and thawing cycles.
Storage Buffer	1M PBS (58mM Na ₂ HPO ₄ , 17mM NaH ₂ PO ₄ , 68mM NaCl, pH8.) added with 100mM GSH and 1% Triton X-100, 15% glycerol.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GENE INFORMATION

Gene Name	CDK19 cyclin-dependent kinase 19 [Homo sapiens]
Official Symbol	CDK19
Synonyms	CDK19; cyclin-dependent kinase 19; CDC2L6, CDK11, cell division cycle 2 like 6 (CDK8 like) , cyclin dependent kinase (CDC2 like) 11; bA346C16.3; KIAA1028; death-preventing kinase; cyclin-dependent kinase 11; CDC2-related protein kinase 6; cell division protein kinase 19; CDK8-like cyclin-dependent kinase; cyclin-dependent kinase (CDC2-like) 11; cell division cycle 2-like 6 (CDK8-like); cell division cycle 2-like protein kinase 6; CDK11; CDC2L6;
Gene ID	23097
mRNA Refseq	NM_015076
Protein Refseq	NP_055891
UniProt ID	Q9BWU1
Chromosome Location	6q21
Pathway	Developmental Biology, organism-specific biosystem; Fatty acid, triacylglycerol, and ketone body metabolism, organism-specific biosystem; Metabolism, organism-specific biosystem; Metabolism of lipids and lipoproteins, organism-specific biosystem; PPARA Activates Gene Expression, organism-specific biosystem; Regulation of Lipid Metabolism by Peroxisome proliferator-activated receptor alpha (PPARalpha), organism-specific biosystem; Transcriptional Regulation of White Adipocyte Differentiation, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

ATP binding; cyclin-dependent protein kinase activity; nucleotide binding; protein serine/threonine kinase activity; transferase activity, transferring phosphorus-containing groups;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA