

Recombinant Mouse Cxcl9 protein, His-tagged

Cat. No. Cxcl9-2776M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse Cxcl9 protein(P18340)(22-126aa), fused to N-terminal His tag, was expressed in E. coli.
Species	Mouse
Source	E.coli
ProteinLength	22-126aa
Form	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.
Molecular Mass	16.2 kDa
AA Sequence	TLVIRNARCSCISTSRGTIHYKSLKDLKQFAPSPNCNKTEIIATLKNGDQTCLDPDSAN VKKLMKEWEKKISQKKKQKRGKKHQKNMKNRKP KTPQSRRRSRKTT
Purity	Greater than 90% as determined by SDS-PAGE.
Storage	Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.
Reconstitution	Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%.

GENE INFORMATION

Gene Name Cxcl9 chemokine (C-X-C motif) ligand 9 [*Mus musculus*]

Official Symbol Cxcl9

Synonyms CXCL9; chemokine (C-X-C motif) ligand 9; C-X-C motif chemokine 9; M119; protein m119; small-inducible cytokine B9; gamma interferon-induced monokine; gamma-interferon-induced monokine; monokine induced by gamma interferon; monokine induced by interferon-gamma; small inducible cytokine B subfamily (Cys-X-Cys), member 9; CMK; Mig; MuMIG; Scyb9; crg-10; BB139920;

Gene ID 17329

mRNA Refseq NM_008599

Protein Refseq NP_032625

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA