

Active Recombinant Human ERBB2 Protein, DDDDK-tagged, Alexa Fluor 488 conjugated

Cat. No. ERBB2-177HAF488 **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human ERBB2 Protein (NP_004439.2, 1-652aa), was expressed in HEK293 cell with C-terminal DDDDK tag and Alexa Fluor 488 conjugate.
Species	Human
Source	HEK293
ProteinLength	1-652 aa
Description	This gene encodes a member of the epidermal growth factor (EGF) receptor family of receptor tyrosine kinases. This protein has no ligand binding domain of its own and therefore cannot bind growth factors. However, it does bind tightly to other ligand-bound EGF receptor family members to form a heterodimer, stabilizing ligand binding and enhancing kinase-mediated activation of downstream signalling pathways, such as those involving mitogen-activated protein kinase and phosphatidylinositol-3 kinase. Allelic variations at amino acid positions 654 and 655 of isoform a (positions 624 and 625 of isoform b) have been reported, with the most common allele, Ile654/Ile655, shown here. Amplification and/or overexpression of this gene has been reported in numerous cancers, including breast and ovarian tumors. Alternative splicing results in several additional transcript variants, some encoding different isoforms and others that have not been fully characterized.
Bio-activity	1. Measured by its binding ability in a functional ELISA. Immobilized Human

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Her2/ERBB2 at 2 µg/mL (100 µL/well) can bind Herceptin, the EC₅₀ of Herceptin is 7.0-30.0 ng/mL.

2. Measured by its ability to block anti-ErbB2 mediated inhibition of BT474 human breast ductal carcinoma cell proliferation. The ED₅₀ for this effect is 0.4-2.4 µg/mL in the presence of 0.6 µg/mL Anti-ErbB2/Her2 Monoclonal Antibody.

Molecular Mass	70 kDa
N-terminal Sequence Analysis	Thr 23
Endotoxin	< 1.0 EU/ µg protein as determined by the LAL method.
Purity	> 95 % as determined by SDS-PAGE
Characteristic	Disulfide-linked homodimer Labeled with Alexa Fluor 488 via amines Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Storage	Samples are stable for up to twelve months from date of receipt at -20 to -80 centigrade Store it under sterile conditions at -20 to -80 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Storage Buffer	Lyophilized from sterile PBS, pH 7.4. Normally 5%-8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization.
Shipping	At ambient temperature. Bulk packages of recombinant proteins are provided as frozen liquid. They are shipped out with blue ice unless customers require otherwise.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Conjugation Alexa Fluor 488

GENE INFORMATION

Gene Name ERBB2 erb-b2 receptor tyrosine kinase 2 [Homo sapiens (human)]

Official Symbol ERBB2

Synonyms ERBB2; erb-b2 receptor tyrosine kinase 2; NEU; NGL; HER2; TKR1; CD340; HER-2; MLN 19; HER-2/neu;

Gene ID 2064

mRNA Refseq NM_004448

Protein Refseq NP_004439

MIM 164870

UniProt ID P04626

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA