

Recombinant Mouse Sirpa Protein, hFc-tagged, Alexa Fluor 488 conjugated

Cat. No. SIRPA-936MAF488 **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Alexa Fluor 488 conjugated recombinant Mouse SIRPA (Lys32-Asn373) protein was fused to human IgG1 Fc tag at C-terminus and expressed in human 293 cells (HEK293).
Species	Mouse
Source	HEK293
ProteinLength	Lys32-Asn373
Description	Tyrosine-protein phosphatase non-receptor type substrate 1 (SHPS1) is also known as CD172 antigen-like family member A (CD172a), Macrophage fusion receptor, MyD-1 antigen, Signal-regulatory protein alpha (SIRPA or SIRP alpha) or p84, is a member of the SIRP family, and also belongs to the immunoglobulin superfamily. SIRP alpha is Ubiquitous and highly expressed in brain. SIRPA/CD172a is immunoglobulin-like cell surface receptor for CD47 and acts as docking protein and induces translocation of PTPN6, PTPN11 and other binding partners from the cytosol to the plasma membrane. SIRPA/SHPS-1 supports adhesion of cerebellar neurons, neurite outgrowth and glial cell attachment and may play a key role in intracellular signaling during synaptogenesis and in synaptic function By similarity. SIRPA/MyD1 involved in the negative regulation of receptor tyrosine kinase-coupled cellular responses induced by cell adhesion, growth factors or insulin and mediates negative regulation of phagocytosis, mast cell activation and dendritic cell activation. CD47

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	binding prevents maturation of immature dendritic cells and inhibits cytokine production by mature dendritic cells.
Form	Lyophilized
Molecular Mass	The protein has a calculated MW of 64.3 kDa. The protein migrates as 90-100 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.
N-terminal Sequence Analysis	Lys 32
Endotoxin	< 1.0 EU/ µg by the LAL method.
Purity	> 95 % as determined by SDS-PAGE
Characteristic	Disulfide-linked homodimer Labeled with Alexa Fluor 488 via amines Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Storage	For long term storage, the product should be stored at lyophilized state at -20 centigrade or lower. Please avoid repeated freeze-thaw cycles. This product is stable after storage at: -20 to -70 centigrade for 12 months in lyophilized state; -70 centigrade for 3 months under sterile conditions after reconstitution.
Storage Buffer	Lyophilized from 0.22 µm filtered solution in PBS, pH7.4, 10% trehalose.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 µg/µL. Centrifuge the vial at 4 centigrade before opening to recover the entire

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

contents.

Conjugation Alexa Fluor 488

GENE INFORMATION

Gene Name [Sirpa signal-regulatory protein alpha \[Mus musculus \(house mouse\) \]](#)

Official Symbol [Sirpa](#)

Synonyms SIRPA; signal-regulatory protein alpha; tyrosine-protein phosphatase non-receptor type substrate 1; mSIRP-alpha1; sirp-alpha-1; myD-1 antigen; SHP substrate 1; inhibitory receptor SHPS-1; signal-regulatory protein alpha-1; CD172 antigen-like family member A; brain immunological-like with tyrosine-based motifs; protein tyrosine phosphatase, non-receptor type substrate 1; brain Ig-like molecule with tyrosine-based activation motifs; Bit; P84; SIRP; SHP-1; CD172a; Ptpns1; SHPS-1; AI835480

Gene ID [19261](#)

mRNA Refseq [NM_001177646](#)

Protein Refseq [NP_001171117](#)

UniProt ID [P97797](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA