

Active Recombinant Human PDGFB Protein, Pre-aliquoted

Cat. No. PDGFB-14H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human PDGFB Protein, Ser82 - Thr190, was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	Ser82-Thr190
Description	This gene encodes a member of the protein family comprised of both platelet-derived growth factors (PDGF) and vascular endothelial growth factors (VEGF). The encoded preproprotein is proteolytically processed to generate platelet-derived growth factor subunit B, which can homodimerize, or alternatively, heterodimerize with the related platelet-derived growth factor subunit A. These proteins bind and activate PDGF receptor tyrosine kinases, which play a role in a wide range of developmental processes. Mutations in this gene are associated with meningioma. Reciprocal translocations between chromosomes 22 and 17, at sites where this gene and that for collagen type 1, alpha 1 are located, are associated with dermatofibrosarcoma protuberans, a rare skin tumor. Alternative splicing results in multiple transcript variants
Bio-activity	Measured in a cell proliferation assay using NR6R-3T3 mouse fibroblast cells. The ED50 for this effect is 1.5-6.0 ng/mL.
Molecular Mass	Predicted Molecular Mass:12.3 kDa (monomer) SDS-PAGE: 12 kDa, reducing conditions

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

N-terminal Sequence Analysis	Ser82
Endotoxin	< 0.10 EU/μg of the protein by the LAL method.
Purity	> 97% by SDS-PAGE under reducing conditions and visualized by silver stain.
Stability	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. • 6 months from date of receipt at room temperature as supplied. • 12 months from date of receipt at 2-8 centigrade as supplied. • 1 month at 2-8 centigrade under sterile conditions after reconstitution. • 3 months at -20 to -80 centigrade under sterile conditions after reconstitution.
Reconstitution	For a stock solution, reconstitute at 100 μg/mL in sterile 4 mM HCl, or simply roll Pre-aliquoted directly into cell culture medium for immediate use.
Shipping	The product is shipped at ambient temperature.


GENE INFORMATION

Gene Name	PDGFB platelet derived growth factor subunit B [Homo sapiens (human)]
Official Symbol	PDGFB
Synonyms	PDGFB; platelet derived growth factor subunit B; SIS; SSV; IBGC5; PDGF2; c-sis; PDGF-2; platelet-derived growth factor subunit B; PDGF subunit B; PDGF, B chain; becaplermin; epididymis secretory sperm binding protein; platelet-derived growth factor 2; platelet-derived growth factor B chain; platelet-derived growth factor beta polypeptide (simian sarcoma viral (v-sis) oncogene homolog); platelet-derived growth factor, beta polypeptide (oncogene SIS); proto-oncogene c-Sis


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene ID	5155
mRNA Refseq	NM_002608
Protein Refseq	NP_002599
MIM	190040
UniProt ID	P01127
Bio-activity	 Recombinant Human PDGF-BB stimulates cell proliferation in the NR6R-3T3 mouse fibroblast cell line in a dose-dependent manner. The ED50 for this effect is 1.5-6.0 ng/mL.

SDS-PAGE



1 µg/lane of Recombinant Human PDF-BB was resolved with SDS-PAGE under reducing (R) and non-reducing (NR) conditions and visualized by silver staining, showing single bands at 13 kDa and 28 kDa, respectively.