

Recombinant Human IGFBPL1 Protein, His-tagged

Cat. No. IGFBPL1-01H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human insulin-like growth factor-binding protein-like 1/IGFBPL1 protein with a N-terminal His-tag, derived from the transfected human HEK293 cells.
Species	Human
Source	HEK293
ProteinLength	Leu26-Met278
Description	Predicted to enable insulin-like growth factor binding activity. Involved in cellular response to tumor cell. Located in extracellular space.
Form	Lyophilized powder
Molecular Mass	Recombinant human IGFBPL1 protein has a calculated molecular mass of 26 kDa. Due to the glycosylation sites, it migrates as approximately 30 kDa protein bands in SDS-PAGE under DTT, beta-mercaptoethanol reducing conditions.
Purity	> 95%
Storage	Upon arrival, the lyophilized protein may be stored for 2 weeks at 4 centigrade. For long term storage, it is recommended to store desiccated below -20 centigrade in a manual defrost freezer. Following reconstitution, the protein may be stored for 2 weeks under sterile conditions at -20 centigrade. For long term storage, it is recommended to make appropriate aliquots and store at -80 centigrade. Avoid

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	repeated freeze-thaw cycles.
Storage Buffer	Lyophilized from a 0.2 µm filtered solution in PBS (pH 7.4)
Reconstitution	Briefly spin the vial and bring the contents to the bottom prior to opening. It is recommended to reconstitute at 0.5 - 1.0 mg/mL with sterile deionized water.
Shipping	ShippingIce packs

GENE INFORMATION


Gene Name	IGFBPL1 insulin like growth factor binding protein like 1 [Homo sapiens (human)]
Official Symbol	IGFBPL1
Synonyms	IGFBPL1; insulin like growth factor binding protein like 1; IGFBPRP4; IGFBP-RP4; bA113O24.1; insulin-like growth factor-binding protein-like 1; IGFBP-related protein 10; insulin-like growth factor binding protein related protein 4; insulin-like growth factor-binding-related protein 4
Gene ID	347252
mRNA Refseq	NM_001007563
Protein Refseq	NP_001007564
MIM	610413
UniProt ID	Q8WX77

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Deglycosylation of purified recombinant proteins.



Purified proteins were untreated (Lane 2) or treated with Protein Deglycosylation Kit under native (Lane 3) or reducing (Lane 4) conditions. Deglycosylation treatment resulted in a mobility shift of the protein to produce one major band at the expected size, thus indicating that the untreated recombinant protein (Lane 2) was glycosylated.

Lane 1: Protein standard ladder (kDa)

Lane 2: Untreated protein under reducing conditions

Lane 3: Treated protein with deglycosylation enzymes under native conditions

Lane 4: Treated protein with deglycosylation enzymes under reducing conditions.

Lane 5: Deglycosylation mixture only without target proteins.