

Recombinant Human BAG2 Protein, His-tagged

Cat. No. BAG2-292H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human BAG2 Protein (Ala2-Ser208) with N-His tag was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	Ala2-Ser208
Description	BAG proteins compete with Hip for binding to the Hsc70/Hsp70 ATPase domain and promote substrate release. All the BAG proteins have an approximately 45-amino acid BAG domain near the C terminus but differ markedly in their N-terminal regions. The predicted BAG2 protein contains 211 amino acids. The BAG domains of BAG1, BAG2, and BAG3 interact specifically with the Hsc70 ATPase domain in vitro and in mammalian cells. All 3 proteins bind with high affinity to the ATPase domain of Hsc70 and inhibit its chaperone activity in a Hip-repressible manner.
Form	Freeze-dried powder
Molecular Mass	Predicted Molecular Mass: 26.9 kDa Accurate Molecular Mass: 27 kDa
Purity	> 90%
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Stability	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Storage	Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.
Storage Buffer	PBS, pH7.4, containing 0.01% SKL, 1 mM DTT, 5% Trehalose and Proclin300.
Reconstitution	Reconstitute in sterile water to a concentration of 0.1-1.0 mg/mL. Do not vortex.
GENE INFORMATION	
Gene Name	BAG2 BCL2-associated athanogene 2 [Homo sapiens (human)]
Official Symbol	BAG2
Synonyms	BAG2; BCL2-associated athanogene 2; BAG family molecular chaperone regulator 2; bcl-2-associated athanogene 2; BAG-family molecular chaperone regulator-2; dJ41711.2 (BAG-family molecular chaperone regulator 2); BAG-2; dJ41711.2; KIAA0576; MGC149462
Gene ID	9532
mRNA Refseq	NM_004282
Protein Refseq	NP_004273
MIM	603882

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



UniProt ID

O95816

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA