

Active Recombinant Mouse Met Protein, Fc-tagged, Alexa Fluor 555 conjugated

Cat. No. Met-730MAF555 **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Alexa Fluor 555 conjugated recombinant Mouse Metprotein was expressed in Murine myeloma cell line with the Fc part of MouseIgG2A Glu98-Lys330 (C-terminus) and Met1-Asn929 (N-terminus).
Species	Mouse
Source	Mammalian Cells
ProteinLength	1-929 a.a.
Description	Met is aglycosylated receptor tyrosine kinase that plays a central role in epithelialmorphogenesis and cancer development. Met is synthesized as a single chainprecursor which undergoes cotranslational proteolytic cleavage. This generatesa mature Met that is a disulfide-linked dimer composed of a 50 kDaextracellular α chain and a 145 kDa transmembrane β chain.
Form	Lyophilized
Bio-activity	Measuredby its ability to bind recombinant mouse Met in a functional ELISA with anestimated KD < 0.2 nM.
Molecular Mass	96 & 32 kDa; SDS-PAGE: 110-120 kDa & 40-43 kDa, reducing conditions.
N-terminal Sequence	Glu 25 & Ser 307

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Analysis	
Endotoxin	< 1.0 EU/ µg of the protein by the LAL method.
Purity	> 95 % by SDS-PAGE under reducing conditions and visualized by silver stain.
Characteristic	Disulfide-linked homodimer Labeled with Alexa Fluor 555 via amines With an excitation and emission maximum of 555/565 nm, Alexa Fluor 555 can be efficiently excited using a 543 nm He-Ne laser line and detected under standard TRITC/Cy3 filters.
Storage	Use a manualdefrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70 centigrade as supplied. 1 month, 2 to 8 centigrade under sterile conditions after reconstitution. 3 months, -20 to -70 centigrade under sterile conditions after reconstitution.
Concentration	200 µg/mL
Storage Buffer	Lyophilized from a 0.2 µm filtered solution in PBS.
Reconstitution	200 µg/mL in PBS
Conjugation	Alexa Fluor 555
GENE INFORMATION	
Gene Name	Met met proto-oncogene [Musmusculus]
Official Symbol	Met

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms	Met; metproto-oncogene; HGF; HGFR; Par4; c-Met; A1838057; hepatocyte growth factorreceptor; SF receptor; HGF receptor; HGF/SF receptor; proto-oncogene c-Met; scatter factor receptor; tyrosine-protein kinase Met; met proto-oncogenetyrosine kinase; EC 2.7.10.1; Met protein
Gene ID	17295
mRNA Refseq	NM_008591
Protein Refseq	NP_032617
UniProt ID	P16056

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA