

Active Recombinant Human CD38 Protein, Fc-tagged, FITC conjugated

Cat. No. CD38-574HF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	The FITC conjugated recombinant human CD38-Fc is expressed as a 482-amino acid protein consisting of Arg47 - Ile300 region of CD38 (UniProt accession #P28907) and a C-terminal Fc from human IgG1, which exists as a dimer under non-reducing conditions.
Species	Human
Source	HEK293
ProteinLength	47-300 a.a.
Bio-activity	Immobilized CD38 binds anti-CD38 monoclonal antibodies, human IgG1, mouse IgG2a and rabbit IgG in a functional ELISA. Converts the enzymatic substrate nicotinamide guanine dinucleotide (NGD+) to cyclic GDP-ribose.
Molecular Mass	Calculated molecular mass (kDa): 54.9; Estimated by SDS-PAGE under reducing condition (kDa): 60-70
AA Sequence	RQQWSGPGTTKRFPETVLARCVKYTEIHPEMRHVDCQSVWDAFKGAFISKHPCNIT EEDYQPLMKLGTQTVPCN KILLWSRIKDLAQFTQVQRDMFTLEDTLGLYLADDLT WCGEFNTSKINYQSCPDWRKDCSNNPVSFVKTVSR RFAEAACDVVHVMLNGSR SKIFDKNSTFGSVEVHNLQPEKVQTLAWVIHGGREDSRDLCQDPTIKELESISK RN IQFSCKNIYRPDKFLQCVKNPEDSSCTSEISTGTHTCPPCPAPPELLGGPSVFLFPPKP KDTLMISRTPEVTC VVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRV

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

VSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKT ISKAKGQPREPQVYTLPPSREEM
TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSGSSFFLYSK LTVDK
SRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK

Endotoxin < 0.1 EU/ µg of purified recombinant protein determined by the LAL method

Purity > 95 % by SDS-PAGE under reducing condition

Characteristic

Disulfide-linked homodimer
Labeled with FITC via amines
Excitation source: 488 nm spectral line, argon-ion laser
Excitation Wavelength: 488 nm
Emission Wavelength: 535 nm

Storage

The product is shipped at 4 centigrade. Upon receipt, centrifuge the product briefly before opening the vial. It is recommended to store small aliquots at the temperature below –20 centigrade for long-term storage and the product is stable for 3 months. The undiluted protein can be stored at 4 centigrade for no more than 2 weeks. Avoid repeated freeze-thaw cycles.

Storage Buffer Supplied at 0.5 mg/ml in sterile PBS pH 7.4 (carrier & preservative free).

Conjugation FITC

GENE INFORMATION

Gene Name CD38 CD38 molecule [Homo sapiens]

Official Symbol CD38

Synonyms CD38; CD38 molecule; CD38 antigen (p45); ADP-ribosyl cyclase 1; ADP ribosyl

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

cyclase 1; NAD(+) nucleosidase; cADPr hydrolase 1; cyclic ADP-ribose hydrolase 1;
ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase; T10;

Gene ID	952
mRNA Refseq	NM_001775
Protein Refseq	NP_001766
MIM	107270
UniProt ID	P28907

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA