

Recombinant Rat Icos Protein, Fc-tagged, FITC conjugated

Cat. No. Icos-8799RF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	FITC conjugated recombinant Rat Icos (Q9R1T7-1) (Met1-Leu142), fused with the Fc region of human IgG1 at the C-terminus, was produced in Human Cells.
Species	Rat
Source	HEK293
ProteinLength	363
Form	Lyophilized
Molecular Mass	The recombinant rat ICOS /Fc is a disulfide-linked homodimer. The reduced monomer comprises 363 amino acids and has a predicted molecular mass of 40.7 kDa. The apparent molecular mass of the protein is approximately 43-47 kDa in SDS-PAGE under reducing co
N-terminal Sequence Analysis	Glu 21
Endotoxin	< 1.0 EU/ µg of the protein as determined by the LAL method.
Purity	> 95 % as determined by SDS-PAGE
Characteristic	Disulfide-linked homodimer Labeled with FITC via amines

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	Excitation source: 488 nm spectral line, argon-ion laser Excitation Wavelength: 488 nm Emission Wavelength: 535 nm
Stability	Samples are stable for up to 12 months from date of receipt at -70 centigrade.
Storage	Store it under sterile conditions at -20 to -70 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Storage Buffer	Lyophilized from sterile PBS, pH 7.4. Normally 5%-8% trehalose and mannitol are added as protectants before lyophilization.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution. Centrifuge the vial at 4 centigrade before opening to recover the entire contents.
Conjugation	FITC

GENE INFORMATION

Gene Name	Icos inducible T-cell co-stimulator [Rattus norvegicus]
Official Symbol	Icos
Gene ID	64545
mRNA Refseq	NM_022610
Protein Refseq	NP_072132

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA