

# Recombinant Human MET Protein, Fc-tagged, FITC conjugated

**Cat. No.** MET-196HF    **Lot. No.** (See product label)

## SPECIFICATION

|                                     |                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Overview</b>             | FITC conjugated recombinant human MET Protein (Glu 25 - Thr 932) (AAI30421.1), fused with Fc fragment of human IgG1 at the C-terminus, was expressed in HEK293.                                                                                                                                                                                                                                  |
| <b>Species</b>                      | Human                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Source</b>                       | HEK293                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>ProteinLength</b>                | Glu25-Thr932                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Form</b>                         | Lyophilized                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Molecular Mass</b>               | The mature form of HGFR is a disulfide-linked heterodimer composed of proteolytically cleaved $\alpha$ and $\beta$ chain. Each $\alpha$ and $\beta$ chain has a calculated MW of 32.5 kDa ( $\alpha$ chain) and 96.7 kDa ( $\beta$ chain Fc chimera). Protein migrates as 45 kDa ( $\alpha$ chain) and 120-125 kDa ( $\beta$ chain Fc chimera) in reduced SDS-PAGE resulting from glycosylation. |
| <b>N-terminal Sequence Analysis</b> | The predicted N-terminal is Glu 25 ( $\alpha$ chain) & Ser 308 ( $\beta$ chain Fc chimera).                                                                                                                                                                                                                                                                                                      |
| <b>Endotoxin</b>                    | < 1.0 EU/ $\mu$ g by the LAL method.                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purity</b>                       | > 95 % as determined by SDS-PAGE                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Characteristic</b>               | Disulfide-linked homodimer                                                                                                                                                                                                                                                                                                                                                                       |

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

|                       |                                                                                                                                                                                        |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                       | <p>Labeled with FITC via amines</p> <p>Excitation source: 488 nm spectral line, argon-ion laser</p> <p>Excitation Wavelength: 488 nm</p> <p>Emission Wavelength: 535 nm</p>            |
| <b>Stability</b>      | Samples are stable for up to 12 months from date of receipt at -70 centigrade.                                                                                                         |
| <b>Storage</b>        | Store it under sterile conditions at -20 to -70 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.                    |
| <b>Storage Buffer</b> | Lyophilized from sterile 50 mM tris, 100 mM glycine, pH7.5, 10% trehalose.                                                                                                             |
| <b>Reconstitution</b> | It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 µg/µL. Centrifuge the vial at 4 centigrade before opening to recover the entire contents. |
| <b>Conjugation</b>    | FITC                                                                                                                                                                                   |

## GENE INFORMATION

|                        |                                                                                                                                                                                                                                                                                                      |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Gene Name</b>       | MET met proto-oncogene (hepatocyte growth factor receptor) [ Homo sapiens ]                                                                                                                                                                                                                          |
| <b>Official Symbol</b> | MET                                                                                                                                                                                                                                                                                                  |
| <b>Synonyms</b>        | MET; met proto-oncogene (hepatocyte growth factor receptor); hepatocyte growth factor receptor; HGFR; RCCP2; SF receptor; HGF receptor; oncogene MET; HGF/SF receptor; proto-oncogene c-Met; scatter factor receptor; tyrosine-protein kinase Met; met proto-oncogene tyrosine kinase; AUTS9; c-Met; |
| <b>Gene ID</b>         | 4233                                                                                                                                                                                                                                                                                                 |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

|                |                           |
|----------------|---------------------------|
| mRNA Refseq    | <a href="#">NM_000245</a> |
| Protein Refseq | <a href="#">NP_000236</a> |
| MIM            | <a href="#">164860</a>    |
| UniProt ID     | <a href="#">P08581</a>    |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA