

Recombinant Human NTRK2 Protein, Fc/His-tagged, FITC conjugated

Cat. No. NTRK2-158HF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	FITC conjugated recombinant human NTRK2 precursor extracellular domain (Met 1-His 430) (NP_001007098.1), fused with the polyhistidine-tagged Fc region of human IgG1 at the C-terminus, was produced in Human Cell.
Species	Human
Source	HEK293
ProteinLength	646
Form	Lyophilized
Molecular Mass	The recombinant human TrkB/Fc is a disulfide-linked homodimer. The reduced monomer consists of 646 amino acids and has a predicted molecular mass of 72 kDa. In SDS-PAGE under reducing conditions, the apparent molecular mass of rhTrkB/Fc monomer is approximately 110-120 kDa due to glycosylation.
Endotoxin	< 1.0 EU/ µg of the protein as determined by the LAL method.
Characteristic	Disulfide-linked homodimer Labeled with FITC via amines Excitation source: 488 nm spectral line, argon-ion laser Excitation Wavelength: 488 nm Emission Wavelength: 535 nm

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Stability	Samples are stable for up to 12 months from date of receipt at -70 centigrade.
Storage	Store it under sterile conditions at -20 to -70 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Storage Buffer	Lyophilized from sterile PBS, pH 7.4
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution. Centrifuge the vial at 4 centigrade before opening to recover the entire contents.
Conjugation	FITC
GENE INFORMATION	
Gene Name	NTRK2 neurotrophic tyrosine kinase, receptor, type 2 [Homo sapiens]
Official Symbol	NTRK2
Gene ID	4915
mRNA Refseq	NM_001007097
Protein Refseq	NP_001007098
MIM	600456
UniProt ID	Q16620