

Recombinant Human VCAM1 Protein, Fc-tagged, FITC conjugated

Cat. No. VCAM1-71HF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	FITC conjugated recombinant human VCAM1 extracellular domain (Met 1-Pro 697) (NP_001069.1), fused with the Fc region of human IgG1 at the C-terminus, was produced in Human Cell.
Species	Human
Source	HEK293
ProteinLength	911
Form	Lyophilized
Molecular Mass	The recombinant human VCAM1/Fc is a disulfide-linked homodimeric protein. The reduced monomer consists of 911 amino acids and has a predicted molecular mass of 101 kDa. As a result of glycosylation, the rh VCAM1/Fc monomer migrates as an approximately 130-140 kDa band in SDS-PAGE under reducing conditions.
Endotoxin	< 1.0 EU/ µg of the protein as determined by the LAL method.
Characteristic	Disulfide-linked homodimer Labeled with FITC via amines Excitation source: 488 nm spectral line, argon-ion laser Excitation Wavelength: 488 nm Emission Wavelength: 535 nm

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Stability	Samples are stable for up to 12 months from date of receipt at -70 centigrade.
Storage	Store it under sterile conditions at -20 to -70 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Storage Buffer	Lyophilized from sterile 100 mM Glycine, 10 mM NaCl, 50 mM Tris, pH 7.5
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution. Centrifuge the vial at 4 centigrade before opening to recover the entire contents.
Conjugation	FITC
GENE INFORMATION	
Gene Name	VCAM1 vascular cell adhesion molecule 1 [Homo sapiens]
Official Symbol	VCAM1
Gene ID	7412
mRNA Refseq	NM_001078
Protein Refseq	NP_001069
MIM	192225
UniProt ID	P19320