

Recombinant Human CD97 Protein, His-tagged

Cat. No. CD97-708H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human CD97 Protein (Pro58-Met260) with His tag was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	Pro58-Met260
Description	This gene encodes a member of the EGF-TM7 subfamily of adhesion G protein-coupled receptors, which mediate cell-cell interactions. These proteins are cleaved by self-catalytic proteolysis into a large extracellular subunit and seven-span transmembrane subunit, which associate at the cell surface as a receptor complex. The encoded protein may play a role in cell adhesion as well as leukocyte recruitment, activation and migration, and contains multiple extracellular EGF-like repeats which mediate binding to chondroitin sulfate and the cell surface complement regulatory protein CD55. Expression of this gene may play a role in the progression of several types of cancer. Alternatively spliced transcript variants encoding multiple isoforms with 3 to 5 EGF-like repeats have been observed for this gene. This gene is found in a cluster with other EGF-TM7 genes on the short arm of chromosome 19.
Form	Freeze-dried powder
Molecular Mass	Predicted Molecular Mass: 52.39 kDa; Accurate Molecular Mass: 52 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 90%
Applications	Positive Control; Immunogen; SDS-PAGE; WB.
Stability	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Storage	Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.
Storage Buffer	PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Reconstitution	Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION

Gene Name	CD97 CD97 molecule [Homo sapiens (human)]
Official Symbol	CD97
Synonyms	CD97; CD97 molecule; CD97 antigen; leukocyte antigen CD97; seven transmembrane helix receptor; seven span transmembrane protein; seven transmembrane; heterodimeric receptor associated with inflammation; TM7LN1; seven-span transmembrane protein; seven-transmembrane, heterodimeric receptor associated with inflammation;
Gene ID	976

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq [NM_001025160](#)

Protein Refseq [NP_001020331](#)

MIM [601211](#)

UniProt ID [P48960](#)



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA