

Recombinant Human CFB Protein, His-tagged

Cat. No. CFB-756H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human CFB Protein (Gly35-Asn160) with His tag was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	Gly35-Asn160
Description	This gene encodes complement factor B, a component of the alternative pathway of complement activation. Factor B circulates in the blood as a single chain polypeptide. Upon activation of the alternative pathway, it is cleaved by complement factor D yielding the noncatalytic chain Ba and the catalytic subunit Bb. The active subunit Bb is a serine protease which associates with C3b to form the alternative pathway C3 convertase. Bb is involved in the proliferation of preactivated B lymphocytes, while Ba inhibits their proliferation. This gene localizes to the major histocompatibility complex (MHC) class III region on chromosome 6. This cluster includes several genes involved in regulation of the immune reaction. Polymorphisms in this gene are associated with a reduced risk of age-related macular degeneration. The polyadenylation site of this gene is 421 bp from the 5' end of the gene for complement component 2.
Form	Freeze-dried powder
Molecular Mass	Predicted Molecular Mass: 17.9 kDa; Accurate Molecular Mass: 18 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 80%
Applications	Positive Control; Immunogen; SDS-PAGE; WB.
Stability	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Storage	Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.
Storage Buffer	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Reconstitution	Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION

Gene Name	CFB complement factor B [Homo sapiens (human)]
Official Symbol	CFB
Synonyms	CFB; complement factor B; B factor, properdin, BF, BFD; H2 Bf; C3 proactivator; C3/C5 convertase; C3 proaccelerator; properdin factor B; B-factor, properdin; glycine-rich beta glycoprotein; glycine-rich beta-glycoprotein; BF; FB; BFD; GBG; CFAB; PBF2; AHUS4; FBI12; H2-Bf; FLJ54899;
Gene ID	629

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq [NM_001710](#)

Protein Refseq [NP_001701](#)

MIM [138470](#)

UniProt ID [P00751](#)



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA