Recombinant Human PSMA6 Protein, His-tagged

Cat. No. PSMA6-2635H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human PSMA6 Protein (Met1-Asp246) with a N-His tag was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	Met1-Asp246
Description	The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the peptidase T1A family, that is a 20S core alpha subunit. Multiple transcript variants encoding several different isoforms have been found for this gene. A pseudogene has been identified on the Y chromosome.
Form	Freeze-dried powder
Molecular Mass	Predicted Molecular Mass: 31.1 kDa Accurate Molecular Mass: 31 kDa


Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Endotoxin	<1.0 EU per 1μg (determined by the LAL method).
Purity	> 90%
Applications	Positive Control; Immunogen; SDS-PAGE; WB.
Stability	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Storage	Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.
Storage Buffer	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Reconstitution	Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION

Gene Name	PSMA6 proteasome (prosome, macropain) subunit, alpha type, 6 [Homo sapiens (human)]
Official Symbol	PSMA6
Synonyms	PSMA6; proteasome (prosome, macropain) subunit, alpha type, 6; proteasome subunit alpha type-6; IOTA; MGC2333; MGC22756; MGC23846; p27K; PROS27; PROS-27; macropain iota chain; prosomal P27K protein; proteasome iota chain; macropain subunit iota; 27 kDa prosomal protein; proteasome subunit iota;

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

	multicatalytic endopeptidase complex iota chain;
Gene ID	5687
mRNA Refseq	NM_002791
Protein Refseq	NP_002782
MIM	602855
UniProt ID	P60900
	

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA