

Recombinant Full Length Rat C-C Chemokine Receptor Type 2(Ccr2) Protein, His-Tagged

Cat. No. RFL19268RF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Full Length Rat C-C chemokine receptor type 2(Ccr2) Protein (O55193) (1-373aa), fused to N-terminal His tag, was expressed in E. coli.
Species	Rat
Source	E.coli
ProteinLength	Full Length (1-373)
Form	Lyophilized powder
AA Sequence	MEDSNMLPQFIHGILSTSHSLFPRSIQELDEGATTPYDYDDGEPCHKTSVKQIGAWIL PP LYSLVFIFGFVGNMLVIIIISCKKLKSMTDIYLFNLAISDLLFLLTLPFWAHYAANEW V FGNIMCKLFTGLYHIGYFGGIFFIILLTIDRYLAIVHAVFALKARTVTFGVITSVVTWVV AVFASLPGIIFTKSEQEDDQHTCGPYFPTIWKNFQTIMRNILSLILPLLVMVICYSGILH TLFRCRNEKKRHRAVRLIFAIMIVYFLFWTPYNIVLFLTTFQEFLGMSNCVVDMLHDQ AM QVTETLGMTHCCVNPIIYAFVGEKFRRYLSIFFRKHIAKNLCKQCPVFYRETADR VSSTF TPSTGEQEVSVGL
Purity	Greater than 90% as determined by SDS-PAGE.
Applications	SDS-PAGE
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

for up to one week.

Storage

Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.

Storage Buffer

Tris/PBS-based buffer, 6% Trehalose, pH 8.0

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

GENE INFORMATION

Gene Name

Ccr2

Synonyms

Ccr2; Cmkbr2; C-C chemokine receptor type 2; C-C CKR-2; CC-CKR-2; CCR-2; CCR2; CD antigen CD192

UniProt ID

[O55193](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA