

Recombinant Human NDUFV2, His-tagged

Cat. No. NDUFV2-2313H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human NDUFV2 protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques.
Species	Human
Source	E.coli
ProteinLength	240aa
Description	The NADH-ubiquinone oxidoreductase complex (complex I) of the mitochondrial respiratory chain catalyzes the transfer of electrons from NADH to ubiquinone, and consists of at least 43 subunits. The complex is located in the inner mitochondrial membrane. NDUFV2 is the 24 kDa subunit of complex I, and is involved in electron transfer. Mutations in this gene are implicated in Parkinson's disease, bipolar disorder, schizophrenia, and have been found in one case of early onset hypertrophic cardiomyopathy and encephalopathy. A non-transcribed pseudogene of this locus is found on chromosome 19.
Form	Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 0.15M NaCl, 10% glycerol, 1mM DTT
Molecular Mass	26.1 kDa
AA Sequence	MGSSHHHHHH SSGLVPRGSH MSGAGGALF VHRDTPENNP DTPFDFTPEN YKRIEAIKVN YPEGHKAAAV LPVLDLAQRQ NGWLPISAMN KVAEVLQVPP

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MRVYE VATFY TMYNRKPVGK YHIQVCTTTP CMLRNSDSIL EAIQKKLGIK
VGETTPDKLF TLIEVECLGA CVNAPMVQIN DNYIEDLTAK DIEEIIDELK
AGKIPKPGPR SGRFSCEPAG GLTSLTEPPK GPGFGVQAGL

Purity >90% by SDS - PAGE

Applications SDS-PAGE

Storage Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

Concentration 1 mg/ml

GENE INFORMATION

Gene Name [NDUFV2 NADH dehydrogenase \(ubiquinone\) flavoprotein 2, 24kDa \[Homo sapiens \]](#)

Official Symbol NDUFV2

Synonyms

NDUFV2; NADH dehydrogenase (ubiquinone) flavoprotein 2, 24kDa; NADH dehydrogenase (ubiquinone) flavoprotein 2 (24kD); NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial; CI 24k; complex I 24kDa subunit; NADH dehydrogenase [ubiquinone] flavoprotein 2; mitochondrial; NADH-ubiquinone oxidoreductase 24 kDa subunit; NADH-ubiquinone oxidoreductase flavoprotein 2; complex I, mitochondrial respiratory chain, 24 kD subunit; NADH dehydrogenase ubiquinone flavoprotein 2, mitochondrial; nuclear-encoded mitochondrial NADH-ubiquinone reductase 24Kd subunit; CI-24k;

Gene ID [4729](#)

mRNA Refseq [NM_021074](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_066552
MIM	600532
UniProt ID	P19404
Chromosome Location	18p11.22
Pathway	Alzheimers disease, organism-specific biosystem; Alzheimers disease, conserved biosystem; Electron Transport Chain, organism-specific biosystem; Huntingtons disease, organism-specific biosystem; Huntingtons disease, conserved biosystem; Metabolic pathways, organism-specific biosystem; Metabolism, organism-specific biosystem;
Function	2 iron, 2 sulfur cluster binding; NAD binding; NADH dehydrogenase (ubiquinone) activity; NADH dehydrogenase (ubiquinone) activity; NADH dehydrogenase activity; electron carrier activity; metal ion binding; oxidoreductase activity;