

Recombinant human BCL7C, His-tagged

Cat. No. BCL7C-2446H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human BCL7C protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques
Species	Human
Source	E.coli
Description	BCL7C is identified by the similarity of its product to the N-terminal region of BCL7A protein. The BCL7A protein is encoded by the gene known to be directly involved in a three-way gene translocation in a Burkitt lymphoma cell line. The function of this gene has not yet been determined.
Form	Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 0.15M NaCl, 20% glycerol, 1mM DTT
Molecular Mass	25.9kDa (240aa) confirmed by MALDI-TOF (Molecular size on SDS-PAGE will appear higher)
AA Sequence	MGSSHHHHHH SSGLVPRGSH MGSMAGRTVR AETRSRAKDD IKKVMATIEK VRRWEKRWVT VGDTSLRIFK WVPVDPQEE ERRRAGGGAE RSRGRERRGR GASPRGGGPL ILLDLNDENS NQSFHSEGS LQKGTEPSPGG TPQPSRPVSP AGPPEGVPEE AQPPRLGQER DPGGITAGST DEPPMLTKEE PVPELLEAEA PEAYPVFEPV PPVPEAAQGD TEDSEGAPPL KRICPNAPDP
Purity	>85% by SDS - PAGE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	SDS-PAGE
Storage	Can be stored at +4C short term (1-2 weeks). For long term storage, aliquot and store at -20C or -70C. Avoid repeated freezing and thawing cycles.
Concentration	0.25 mg/ml (determined by Bradford assay)

GENE INFORMATION

Gene Name	BCL7C B-cell CLL/lymphoma 7C [Homo sapiens]
Official Symbol	BCL7C
Synonyms	BCL7C; B-cell CLL/lymphoma 7C; B-cell CLL/lymphoma 7 protein family member C;
Gene ID	9274
mRNA Refseq	NM_004765
Protein Refseq	NP_004756
MIM	605847
UniProt ID	Q8WUZ0
Chromosome Location	16p11

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA