

Recombinant Full Length Human CXCR2 Protein, GST-tagged

Cat. No. CXCR2-2315HF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human CXCR2 full-length ORF (NP_001548.1, 1 a.a. - 360 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	In Vitro Cell Free System
ProteinLength	360 amino acids
Description	The protein encoded by this gene is a member of the G-protein-coupled receptor family. This protein is a receptor for interleukin 8 (IL8). It binds to IL8 with high affinity, and transduces the signal through a G-protein activated second messenger system. This receptor also binds to chemokine (C-X-C motif) ligand 1 (CXCL1/MGSA), a protein with melanoma growth stimulating activity, and has been shown to be a major component required for serum-dependent melanoma cell growth. This receptor mediates neutrophil migration to sites of inflammation. The angiogenic effects of IL8 in intestinal microvascular endothelial cells are found to be mediated by this receptor. Knockout studies in mice suggested that this receptor controls the positioning of oligodendrocyte precursors in developing spinal cord by arresting their migration. This gene, IL8RA, a gene encoding another high affinity IL8 receptor, as well as IL8RBP, a pseudogene of IL8RB, form a gene cluster in a region mapped to chromosome 2q33-q36. Alternatively spliced variants, encoding the same protein, have been identified. [provided by RefSeq, Nov 2009]

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Mass	67.2 kDa
AA Sequence	MEDFNMESDSFEDFWKGEDLSNYSYSSTLPPFLD AAPCEPESLEINKYFVVIYALV FLLSLLGNSLVMLVILYSRVGRSVTDVYLLNLALADLLFALTLP IWAASKVNGWIFGTF LCKVVSLLKEVNFYSGILLACISVD RYLAIVHATRTL TQKRYLVKFICLSIWGLSLLLAL PVLLFRRTVYSSNVSPACYEDMGNNTANWRMLLRILPQSFGFIVPLLIMLFCYGF TLR TLFKAHMGQKHRAMRVIFAVVLIFLLCWL PYNLVLLADTL MRTQVIQETCERRNHIDR ALDATEILGILHSCLNPLIYAFIGQKFRHGL LKILAIHGLISKDSL PKDSRPSFVGSSSGH TSTTL
Applications	Enzyme-linked Immunoabsorbent Assay Western Blot (Recombinant protein) Antibody Production Protein Array
Notes	Best use within three months from the date of receipt of this protein.
Storage	Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
GENE INFORMATION	
Gene Name	CXCR2 chemokine (C-X-C motif) receptor 2 [Homo sapiens]
Official Symbol	CXCR2
Synonyms	CXCR2; chemokine (C-X-C motif) receptor 2; IL8RB, interleukin 8 receptor, beta; C-X-C chemokine receptor type 2; CD182; CMKAR2; CXCR-2; CXCR-2; IL-8R B; GRO/MGSA receptor; IL-8 receptor type 2; interleukin 8 receptor B; chemokine (CXC) receptor 2; interleukin 8 receptor, beta; interleukin 8 receptor type 2; interleukin-8

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

receptor type B; CXCR2 gene for IL8 receptor type B; high affinity interleukin-8 receptor B; IL8R2; IL8RA; IL8RB; CDw128b;

Gene ID	3579
mRNA Refseq	NM_001168298
Protein Refseq	NP_001161770
MIM	146928
UniProt ID	P25025

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA