

Recombinant Full Length Human CD209 Protein

Cat. No. CD209-3033HF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human CD209 full-length ORF (NP_066978.1) recombinant protein without tag.
Species	Human
Source	In Vitro Cell Free System
ProteinLength	359 amino acids
Description	This gene encodes a transmembrane receptor and is often referred to as DC-SIGN because of its expression on the surface of dendritic cells and macrophages. The encoded protein is involved in the innate immune system and recognizes numerous evolutionarily divergent pathogens ranging from parasites to viruses with a large impact on public health. The protein is organized into three distinct domains: an N-terminal transmembrane domain, a tandem-repeat neck domain and C-type lectin carbohydrate recognition domain. The extracellular region consisting of the C-type lectin and neck domains has a dual function as a pathogen recognition receptor and a cell adhesion receptor by binding carbohydrate ligands on the surface of microbes and endogenous cells. The neck region is important for homo-oligomerization which allows the receptor to bind multivalent ligands with high avidity. Variations in the number of 23 amino acid repeats in the neck domain of this protein are rare but have a significant impact on ligand binding ability. This gene is closely related in terms of both sequence and function to a neighboring gene (GeneID 10332; often referred to as L-SIGN). DC-SIGN and L-SIGN differ in their ligand-binding properties and distribution. Alternative splicing results in multiple variants.[provided by RefSeq, Feb

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	2009]
Form	Liquid
Molecular Mass	45.8 kDa
AA Sequence	MSDSKEPRLQQGLGLEEEQLRGLGFRQTRGYKSLAGCLGHGPLVLQLLSFTLLAGLL VQVSKVPSSISQEQSRQDAIYQNLTQLKAAVGELSEKSKLQEIQELTQLKAAVGEL PEKSKLQEIQELTRLKAAVGELPEKSKLQEIQELTWLKAAVGELPEKSKMQEIQE LTRLKAAVGELPEKSKQQEIQELTRLKAAVGELPEKSKQQEIQELTRLKAAVGELP EKSKQQEIQELTQLKAAVERLCHPCPWEWTFQGNCFMSNSQRNWHDSITACK EVGAQLVVIKSAEEQNFLQLQSSRSNRFTWMGLSDLNQEQTWQWVDGSPLLPSFK QYWNRGEPNNVGEEDCAEFSGNGWNDDKCNLAKFWICKKSAASCSRDEEQFLSP APATPNPPPA
Applications	Antibody Production Functional Study Compound Screening
Storage	Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.
Storage Buffer	25 mM Tris-HCl of pH8.0 containing 2% glycerol.

GENE INFORMATION

Gene Name	CD209 CD209 molecule [Homo sapiens]
Official Symbol	CD209
Synonyms	CD209; CD209 molecule; CD209 antigen; CDSIGN; CLEC4L; DC SIGN; DC SIGN1; HIV gpl20-binding protein; C-type lectin domain family 4 member L; C-type lectin

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

domain family 4, member L; dendritic cell-specific ICAM-3-grabbing non-integrin 1;
dendritic cell-specific intracellular adhesion molecules (ICAM)-3 grabbing non-
integrin; DC-SIGN; DC-SIGN1; MGC129965;

Gene ID 30835

mRNA Refseq NM_001144893

Protein Refseq NP_001138365

MIM 604672

UniProt ID Q9NNX6

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA