

Recombinant Full Length Human CEACAM1 Protein, GST-tagged

Cat. No. CEACAM1-3272HF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human CEACAM1 full-length ORF (AAH14473.1, 1 a.a. - 468 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	In Vitro Cell Free System
ProteinLength	468 amino acids
Description	This gene encodes a member of the carcinoembryonic antigen (CEA) gene family, which belongs to the immunoglobulin superfamily. Two subgroups of the CEA family, the CEA cell adhesion molecules and the pregnancy-specific glycoproteins, are located within a 1.2 Mb cluster on the long arm of chromosome 19. Eleven pseudogenes of the CEA cell adhesion molecule subgroup are also found in the cluster. The encoded protein was originally described in bile ducts of liver as biliary glycoprotein. Subsequently, it was found to be a cell-cell adhesion molecule detected on leukocytes, epithelia, and endothelia. The encoded protein mediates cell adhesion via homophilic as well as heterophilic binding to other proteins of the subgroup. Multiple cellular activities have been attributed to the encoded protein, including roles in the differentiation and arrangement of tissue three-dimensional structure, angiogenesis, apoptosis, tumor suppression, metastasis, and the modulation of innate and adaptive immune responses. Multiple transcript variants encoding different isoforms have been reported, but the full-length nature of all variants has not been

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	defined. [provided by RefSeq, May 2010]
Molecular Mass	77 kDa
AA Sequence	MGHLSAPLHRVRVPWQGLLLTASLLTFWNPPTTAQLTTESMPFNVAEGKEVLLLVH NLPQQFLFGYSWYKGERVDGNGRQIVGYAIGTQQATPGPANSGRETIYPNASLLIQNVT QNDTGFTYLQVIKSDLVNEEATGQFHVPELPKPSISSNNSNPVEDKDAVAFTCEPE TQDTTYLWWINNQSLPVSPRLQLSNGNRTLTLSSVTRNDTGPYECEIQNPVSANRS DPVTLNVTYGPDTPTISPSTYYRPGANLSLSCYAASNPPAQYSWLINGTFQQSTQE LFIPNITVNNSGSYTCHANNSVTGCNRTTVKTIIVTELSPVVAKPQIKASKTTVTGDKD SVNLTCSNDTGISIRWFFKNQSLPSSSERMKLSQGNTTSLINPVKREDAGTYWCEVF NPISKNQSDPIMLNVNYNALPQENGLSPGAIGIVIGVVALVALIAVALACFLHFGKTG RTTPMTHLTR
Applications	Enzyme-linked Immunoabsorbent Assay Western Blot (Recombinant protein) Antibody Production Protein Array
Storage	Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

GENE INFORMATION

Gene Name	CEACAM1 carcinoembryonic antigen-related cell adhesion molecule 1 (biliary glycoprotein) [Homo sapiens]
Official Symbol	CEACAM1
Synonyms	CEACAM1; carcinoembryonic antigen-related cell adhesion molecule 1 (biliary

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

glycoprotein); BGP; carcinoembryonic antigen-related cell adhesion molecule 1; BGP1; CD66a; antigen CD66; CD66a antigen; BGPI;

Gene ID	634
mRNA Refseq	NM_001024912
Protein Refseq	NP_001020083
MIM	109770
UniProt ID	P13688

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA