

Recombinant Human CCR5, GST-tagged

Cat. No. CCR5-120H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	CCR5 (XP_001125981.1, 1 a.a. - 352 a.a.) recombinant protein with a ~26kD N-terminal GST tag..
Species	Human
Source	Wheat Germ
ProteinLength	1-352 a.a.
Description	This gene encodes a member of the beta chemokine receptor family, which is predicted to be a seven transmembrane protein similar to G protein-coupled receptors. This protein is expressed by T cells and macrophages, and is known to be an important co-receptor for macrophage-tropic virus, including HIV, to enter host cells. Defective alleles of this gene have been associated with the HIV infection resistance. The ligands of this receptor include monocyte chemoattractant protein 2 (MCP-2), macrophage inflammatory protein 1 alpha (MIP-1 alpha), macrophage inflammatory protein 1 beta (MIP-1 beta) and regulated on activation normal T expressed and secreted protein (RANTES). Expression of this gene was also detected in a promyeloblastic cell line, suggesting that this protein may play a role in granulocyte lineage proliferation and differentiation. This gene is located at the chemokine receptor gene cluster region. Two transcript variants encoding the same protein have been found for this gene.
Form	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Mass	66.9 kDa
AA Sequence	MDYQVSSPIYDINYYTSEPCQKINVKQIAARLLPPLYSLVFIFGFVGNMLVILILINCKRL KSMTDIYLLNLAIS DLFFLLTVPFWAHYAAAQWDFGNTMCQLLTGLYFIGFFSGIF FII LLTIDRYLAVVHAVFALKARTVTFGVVTS VITWVVAVFASLPGIIFTRSQKEGLHYTCS SHFPYSQYQFWKNFQTLKIVILGLVLP LLVMVICYSGILKTLLRC RNEKKRHRV RLI FTIMIVYFLFWAPYNIVLLLNTFQEFGNLCSSSNRLDQAMQVTETLGMTHCCINPII YA FVGEKFRNYLLVFFQKHIKRFCKCCSIFQQEAPERASSVYTRSTGEQEISVGL
Applications	Western Blot; ELISA; Protein Array; Antibody Production
Storage	Store at -80C. Avoid freeze-thaw cycles.
GENE INFORMATION	
Gene Name	CCR5 chemokine (C-C motif) receptor 5 (gene/pseudogene) [Homo sapiens (human)]
Official Symbol	CCR5
Synonyms	CCR5; CKR5; CCR-5; CD195; CKR-5; CCCKR5; CMKBR5; IDDM22; CC-CKR-5; chemokine (C-C motif) receptor 5 (gene/pseudogene); C-C chemokine receptor type 5; chemr13; HIV-1 fusion coreceptor; chemokine receptor CCR5; C-C motif chemokine receptor 5 A159A
Gene ID	1234
mRNA Refseq	NM_000579
Protein Refseq	NP_000570

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM	601373
UniProt ID	P51681
Chromosome Location	3p21.31
Pathway	Binding and entry of HIV virion; Chemokine receptors bind chemokines; Class A/1 (Rhodopsin-like receptors)
Function	C-C chemokine binding; chemokine (C-C motif) ligand 5 binding; phosphatidylinositol phospholipase C activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA