

Active Recombinant Human CDK2/CyclinO, GST-tagged

Cat. No. CDK2-114H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant full-length human CDK2/Cyclin O was expressed by baculovirus in Sf9 insect cells using an N-terminal GST tag.
Species	Human
Source	Sf9 Cells
Description	CDK2/CyclinO is a member of the cyclin dependent protein kinase family complexed to CyclinO. CyclinO was used as a specific protein isoform name for the UNG gene which is localized exclusively in the nucleus. In addition, CyclinO was reported to shows significant uracil-DNA glycosylase activity. CDK2/CyclinO protein levels increase during G1 phase and the protein is turned over during the course of cell cycle.
Form	Recombinant protein stored in 50mM Tris-HCl, pH 7.5, 150mM NaCl, 10mM glutathione, 0.1mM EDTA, 0.25mM DTT, 0.1mM PMSF, 25% glycerol.
Bio-activity	The specific activity of CDK2/CyclinO was determined to be 46.0 nmol /min/mg
Molecular Mass	CDK2 ~58 kDa and Cyclin O ~68 kDa
Purity	>90% by densitometry
Applications	Kinase Assay, Western Blot

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	Store product at –70 centigrade. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.
Concentration	0.1 µg/µl
GENE INFORMATION	
Gene Name	CDK2 cyclin-dependent kinase 2 [Homo sapiens]
Official Symbol	CDK2
Synonyms	CDK2; cyclin-dependent kinase 2; p33 protein kinase; cell division kinase 2; cdc2-related protein kinase; cell division protein kinase 2; p33(CDK2);
Gene ID	1017
mRNA Refseq	NM_001798
Protein Refseq	NP_001789
MIM	116953
UniProt ID	P24941
Chromosome Location	12q13
Pathway	APC/C-mediated degradation of cell cycle proteins, organism-specific biosystem; Activation of ATR in response to replication stress, organism-specific biosystem; Activation of the pre-replicative complex, organism-specific biosystem; B Cell

Receptor Signaling Pathway, organism-specific biosystem; BARD1 signaling events, organism-specific biosystem; CDK-mediated phosphorylation and removal of Cdc6, organism-specific biosystem; Cell Cycle, organism-specific biosystem;

Function

ATP binding; cyclin binding; cyclin-dependent protein kinase activity; cyclin-dependent protein kinase activity; contributes_to histone kinase activity; kinase activity; metal ion binding; nucleotide binding; protein binding; protein kinase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA