

Recombinant Full Length Human KLRC2 Protein

Cat. No. KLRC2-5900HF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human KLRC2 full-length ORF (AAH93644.1) recombinant protein without tag.
Species	Human
Source	In Vitro Cell Free System
ProteinLength	amino acids
Description	Natural killer (NK) cells are lymphocytes that can mediate lysis of certain tumor cells and virus-infected cells without previous activation. They can also regulate specific humoral and cell-mediated immunity. NK cells preferentially express several calcium-dependent (C-type) lectins, which have been implicated in the regulation of NK cell function. The group, designated KLRC (NKG2) are expressed primarily in natural killer (NK) cells and encodes a family of transmembrane proteins characterized by a type II membrane orientation (extracellular C terminus) and the presence of a C-type lectin domain. The KLRC (NKG2) gene family is located within the NK complex, a region that contains several C-type lectin genes preferentially expressed on NK cells. KLRC2 alternative splice variants have been described but their full-length nature has not been determined. [provided by RefSeq]
Form	Liquid
Molecular Mass	26.1 kDa
AA Sequence	MSKQRGTFSEVSLAQDPKRQQRKPKGNKSSISGTEQEIFQVELNLQNPSLNHQGID

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

KIYDCQGLLPPEKLTAEVLGIICIVLMATVLKTIVLIPFLEQNNSSPNTRTQKARHCGH
CPEEWITYSNSCYIGKERRTWEESLLACTSKNSSLLSIDNEEEMKFLASILPSSWIG
VFRNSSHHPWVTINGLAFKHKIKDSDNAELNCAVLQVNRLKSAQCGSSMIYHCKHKL

Applications

Antibody Production
Functional Study
Compound Screening

Notes

Best use within three months from the date of receipt of this protein.

Storage

Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.

Storage Buffer

25 mM Tris-HCl of pH8.0 containing 2% glycerol.

GENE INFORMATION

Gene Name

KLRC2 killer cell lectin-like receptor subfamily C, member 2 [Homo sapiens]

Official Symbol

KLRC2

Synonyms

KLRC2; killer cell lectin-like receptor subfamily C, member 2; NKG2-C type II integral membrane protein; CD159c; NKG2 C; NK cell receptor C; NKG2-C-activating NK receptor; CD159 antigen-like family member C; NKG2C; NKG2-C; MGC138244;

Gene ID

3822

mRNA Refseq

NM_002260

Protein Refseq

NP_002251

MIM

602891

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID

P26717

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA