

Recombinant Full Length Human NR1I2 Protein, GST-tagged

Cat. No. NR1I2-6702HF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human NR1I2 full-length ORF (NP_003880.3, 1 a.a. - 434 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	In Vitro Cell Free System
ProteinLength	434 amino acids
Description	This gene product belongs to the nuclear receptor superfamily, members of which are transcription factors characterized by a ligand-binding domain and a DNA-binding domain. The encoded protein is a transcriptional regulator of the cytochrome P450 gene CYP3A4, binding to the response element of the CYP3A4 promoter as a heterodimer with the 9-cis retinoic acid receptor RXR. It is activated by a range of compounds that induce CYP3A4, including dexamethasone and rifampicin. Several alternatively spliced transcripts encoding different isoforms, some of which use non-AUG (CUG) translation initiation codon, have been described for this gene. Additional transcript variants exist, however, they have not been fully characterized. [provided by RefSeq]
Molecular Mass	76.2 kDa
AA Sequence	MEVRPKESWNHADFDVHCEDESVPKGPSVNADEEVGGPQICRVCGDKATGYHFNV MTCEGCKGFFRRAMKRNARLRCPFRKGACEITRKTRRQCQACRLRKCLESGMKKE MIMSDEAVEERRALIKRKKSSERTGTQPLGVQGLTEEQRMMIRELMDAQMKTFDFTF

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SHFKNFRLPGVLSSGCELPESLQAPSREEAAKWSQVRKDLCSLKVSLQLRGEDGSV
 WNYKPPADSGGKEIFSLLPHMADMSTYMFKGIIISFAKVISYFRDLPIEDQISLLKGAAF
 ELCQLRFNTVFNAETGTWECGRLSYCLEDTAGGFQQLLEPMLKFHYMLKKLQLHE
 EEYVLMQAISLFSPDRPGVLQHRVVDQLQEQAIFLTKSYIECNRPQPAHRFLFLKIMA
 MLTELR SINAQHTQRLRLRIQDIHPFATPLMQELFGITGS

Applications

Enzyme-linked Immunoabsorbent Assay
 Western Blot (Recombinant protein)
 Antibody Production
 Protein Array

Notes Best use within three months from the date of receipt of this protein.

Storage Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.

Storage Buffer 50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

GENE INFORMATION

Gene Name [NR1I2 nuclear receptor subfamily 1, group I, member 2 \[Homo sapiens \]](#)

Official Symbol [NR1I2](#)

Synonyms NR1I2; nuclear receptor subfamily 1, group I, member 2; nuclear receptor subfamily 1 group I member 2; BXR; ONR1; PAR2; PXR; SXR; pregnane X receptor; orphan nuclear receptor PXR; orphan nuclear receptor PAR1; steroid and xenobiotic receptor; pregnane X nuclear receptor variant 2; PAR; PRR; SAR; PAR1; PARq;

Gene ID [8856](#)

mRNA Refseq [NM_003889](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_003880
MIM	603065
UniProt ID	O75469

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA