

Recombinant Full Length Human KCNMB2 Protein, GST-tagged

Cat. No. KCNMB2-6786HF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human KCNMB2 full-length ORF (AAH17825, 1 a.a. - 235 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	In Vitro Cell Free System
ProteinLength	235 amino acids
Description	MaxiK channels are large conductance, voltage and calcium-sensitive potassium channels which are fundamental to the control of smooth muscle tone and neuronal excitability. MaxiK channels can be formed by 2 subunits: the pore-forming alpha subunit and the modulatory beta subunit. The protein encoded by this gene is an auxiliary beta subunit which decreases the activation time of MaxiK alpha subunit currents. Alternative splicing results in multiple transcript variants of this gene. Additional variants are discussed in the literature, but their full length nature has not been described.
Molecular Mass	51.59 kDa
AA Sequence	MFIWTSGRTSSSYRHDEKRNIYQKIRDHDLDDKRKTVTALKAGEDRAILLGLAMTVCS IMMYFLLGITLLRSYMQSVWTEESQCTLLNASITETFNCSEFSCGPDCWKLSQYPCLQ VYVNLTSSEKLLLYHTEETIKINQKCSYIPKCGKNFEESMSLVNVVMENFRKYQHFS CYSDPEGNQKGVILTKLYSSSVLFHSLFWPTCMMAGGVAIVAMVKLTQYLSLLCERI

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	QRINR
Applications	Enzyme-linked Immunoabsorbent Assay Western Blot (Recombinant protein) Antibody Production Protein Array
Storage	Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
GENE INFORMATION	
Gene Name	KCNMB2 potassium calcium-activated channel subfamily M regulatory beta subunit 2 [Homo sapiens (human)]
Official Symbol	KCNMB2
Synonyms	KCNMB2; potassium calcium-activated channel subfamily M regulatory beta subunit 2; calcium-activated potassium channel subunit beta-2; BK channel beta subunit 2; BK channel subunit beta-2; MaxiK channel beta 2 subunit; MaxiK channel beta-subunit 2; big potassium channel beta subunit 2; charybdotoxin receptor subunit beta-2; hCG1646471; hbeta2; k(VCA)beta-2; large conductance calcium-activated potassium channel beta 2 subunit; large-conductance Ca ²⁺ -activated K ⁺ channel beta2 subunit; potassium channel subfamily M regulatory beta subunit 2; potassium large conductance calcium-activated channel, subfamily M, beta member 2; slo-beta-2
Gene ID	10242
mRNA Refseq	NM_181361

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_852006
MIM	605214
UniProt ID	Q9Y691

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA