

Native Human Haptoglobin 2-2

Cat. No. Hp2-2-196H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Purified Native Human Plasma Haptoglobin 2-2
Species	Human
Source	Human Plasma
Description	In blood plasma, haptoglobin binds free hemoglobin (Hb) released from erythrocytes with high affinity and thereby inhibits its oxidative activity. The haptoglobin-hemoglobin complex will then be removed by the reticuloendothelial system (mostly the spleen). In clinical settings, the haptoglobin assay is used to screen for and monitor intravascular hemolytic anemia. In intravascular hemolysis, free hemoglobin will be released into circulation and hence haptoglobin will bind the Hb. This causes a decline in Hp levels. Conversely, in extravascular hemolysis the reticuloendothelial system, especially splenic monocytes, phagocytose the erythrocytes and hemoglobin is not released into circulation; serum haptoglobin levels are therefore normal
Form	Lyophilized, salt-free
Molecular Mass	170,000-900,000
Purity	>95% by SDS-PAGE
Storage	Store at -20 °C.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA