

Recombinant Human LILRB2 Protein (ECD), His-tagged(C-ter)

Cat. No. LILRB2-232H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human LILRB2 Protein (ECD) with His tag (C-ter) was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	Gln22-Val461
Description	This gene is a member of the leukocyte immunoglobulin-like receptor (LIR) family, which is found in a gene cluster at chromosomal region 19q13.4. The encoded protein belongs to the subfamily B class of LIR receptors which contain two or four extracellular immunoglobulin domains, a transmembrane domain, and two to four cytoplasmic immunoreceptor tyrosine-based inhibitory motifs (ITIMs). The receptor is expressed on immune cells where it binds to MHC class I molecules on antigen-presenting cells and transduces a negative signal that inhibits stimulation of an immune response. It is thought to control inflammatory responses and cytotoxicity to help focus the immune response and limit autoreactivity. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]
Form	Powder
Endotoxin	Endotoxin level is less than 0.1 EU/μg of the protein, as determined by the LAL test.

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 95% (by SDS-PAGE)
Applications	Binding, SDS-PAGE
Notes	For laboratory research only, not for drug, diagnostic or other use.
Storage	Lyophilized protein should be stored at -20°C or -80°C. After reconstitution, aliquot and store at -20°C for up to one month, at 2-8°C for up to one week. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening.
Storage Buffer	PBS (pH 7.4)
Reconstitution	Reconstitute to a concentration of 0.1-0.5 mg/ml in sterile distilled water.

GENE INFORMATION

Gene Name	LILRB2 leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 2 [Homo sapiens]
Official Symbol	LILRB2
Synonyms	LILRB2; leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 2; leukocyte immunoglobulin-like receptor subfamily B member 2; CD85d; ILT4; LIR 2; LIR2; MIR 10; MIR10; ILT-4; Ig-like transcript 4; immunoglobulin-like transcript 4; CD85 antigen-like family member D; leukocyte immunoglobulin-like receptor 2; monocyte/macrophage immunoglobulin-like receptor 10; leukocyte immunoglobulin-like receptor subfamily B member 2 soluble isoform; leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 6; CD85D; LIR-2; LILRA6; MIR-10;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene ID	10288
mRNA Refseq	NM_001080978
Protein Refseq	NP_001074447
MIM	604815
UniProt ID	Q8N423

SDS-PAGE
