

Recombinant Human PPBP Protein

Cat. No. PPBP-227H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human PPBP Protein without tag was expressed in E. coli.
Species	Human
Source	E.coli
Description	Neutrophil activating peptide 2 (NAP-2), also known as CXCL7, is a member of the CXC family of chemokines. NAP-2 is a carboxyl-terminal fragment produced by proteolytic cleavage of the platelet basic protein (PBP). NAP-2 is released from platelets and binds to the receptors CXCR1 and CXCR2 to chemoattract and activate neutrophils during inflammatory events.
Bio-activity	No biological activity data is available at this time.
Molecular Mass	Monomer, 7.6 kDa (70 amino acids)
AA Sequence	AELRCMCIKTTSGIHPKNIQSLEVIGKGTHCNQVEVIATLKDGRKICLDPDAPRIKKIVQ KKLAGDESAD
Endotoxin	≤1 EUs/μg, Kinetic LAL (50% confidence)
Purity	≥95%, Reducing and Non-Reducing SDS PAGE
Stability	12 months from date of receipt when stored at -20 to -80 centigrade as supplied. 1 month when stored at 4 centigrade after reconstituting as directed.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	3 months when stored at -20 to -80 centigrade after reconstituting as directed.
Storage	Storage Prior to Reconstitution: -20 centigrade
Storage Buffer	Lyophilized from a sterile (0.2 micron) filtered aqueous solution containing 10 mM sodium phosphate, pH 7.5
Reconstitution	Sterile water at 0.1 mg/mL
Shipping	Room temperature
Instructions	Centrifuge vial before opening. Suspend the product by gently pipetting the above recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80 centigrade and avoid repeat freeze thaws.

GENE INFORMATION

Gene Name	PPBP pro-platelet basic protein (chemokine (C-X-C motif) ligand 7) [Homo sapiens (human)]
Official Symbol	PPBP
Synonyms	PPBP; pro-platelet basic protein (chemokine (C-X-C motif) ligand 7); THBGB1; platelet basic protein; b TG1; Beta TG; beta thromboglobulin; connective tissue activating peptide III; CTAP3; CTAPIII; CXCL7; LA PF4; LDGF; MDGF; NAP 2; NAP 2 L1; neutrophil activating peptide 2; PBP; SCYB7; TGB; TGB1; thrombocidin 1; thrombocidin 2; beta-thromboglobulin; CXC chemokine ligand 7; C-X-C motif chemokine 7; thromboglobulin, beta-1; small inducible cytokine B7; small-inducible cytokine B7; leukocyte-derived growth factor; low-affinity platelet factor IV; neutrophil-activating peptide 2; neutrophil-activating peptide-2; macrophage-derived growth

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

factor; connective tissue-activating peptide III; small inducible cytokine subfamily B, member 7; TC1; TC2; B-TG1; NAP-2; THBGB; LA-PF4; SCAR10; Beta-TG; CTAP-III;

Gene ID [5473](#)

mRNA Refseq [NM_002704](#)

Protein Refseq [NP_002695](#)

MIM [121010](#)

UniProt ID [P02775](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA