

Active Recombinant Human HGF Protein, Animal Free

Cat. No. HGF-18H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human HGF Protein without tag was expressed in Human cells. Animal Free and Xeno Free
Species	Human
Source	Human Cells
Description	HGF is a pleiotropic protein in the plasminogen subfamily of S1 peptidases. HGF is a potent, mesenchymally-derived mitogen for mature parenchymal hepatocytes, and acts as a growth factor for a broad spectrum of tissues and cell types. HGF signals through a transmembrane tyrosine kinase receptor known as MET. Human HGF is secreted as an inactive 728 amino acid (aa) single chain propeptide. HGF regulates many physiological processes including proliferation, scattering, morphogenesis and survival. HGF is a crucial mitogen for liver regeneration processes, especially after partial hepatectomy and other liver injuries.
Bio-activity	The activity was measured by its ability to stimulate the proliferation of the monkey epithelial cell line 4MBr-5.
Molecular Mass	70 kDa
Endotoxin	<0.5 EU/ µg
Purity	High Purity, >95% by SDS-PAGE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Stability	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. In general: 12 months from date of receipt, -20 to -80 centigrade as supplied. 1 month, 2 to 8 centigrade under sterile conditions after reconstitution. 3 months, -20 to -80 centigrade under sterile conditions after reconstitution.
Storage Buffer	Lyophilized from a 0.2 µm filtered solution in PBS without carrier protein
Reconstitution	Briefly centrifuge the vial before opening. It is recommended to reconstitute the protein in sterile PBS containing 0.1% endotoxin-free recombinant human serum albumin.
GENE INFORMATION	
Gene Name	HGF hepatocyte growth factor (hepapoietin A; scatter factor) [Homo sapiens (human)]
Official Symbol	HGF
Synonyms	HGF; hepatocyte growth factor (hepapoietin A; scatter factor); deafness, autosomal recessive 39 , DFNB39; hepatocyte growth factor; F TCF; fibroblast derived tumor cytotoxic factor; hepatopoietin A; HGFB; HPTA; lung fibroblast derived mitogen; scatter factor; SF; hepatopoeitin-A; hepatopoietin-A; lung fibroblast-derived mitogen; fibroblast-derived tumor cytotoxic factor; F-TCF; DFNB39;
Gene ID	3082
mRNA Refseq	NM_000601
Protein Refseq	NP_000592
MIM	142409

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID

P14210

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA