

Recombinant Human FASLG Protein, C-His-tagged

Cat. No. FASLG-065H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human FASLG Protein with C-His tag was expressed in E. coli.
Species	Human
Source	E.coli
Description	Association of the receptor Fas with its ligand FasL triggers an apoptotic pathway that plays an important role in immune regulation, development, and progression of cancers. Loss of function mutation in either Fas (lpr mice) or FasL (gld mice) leads to lymphadenopathy and splenomegaly as a result of decreased apoptosis in CD4-CD8- T lymphocytes. FasL (CD95L, Apo-1L) is a type II transmembrane protein of 280 amino acids (runs at approximately 40 kDa upon glycosylation) that belongs to the TNF family, which also includes TNF-α, TRAIL, and TWEAK. Binding of FasL to its receptor triggers the formation of a death-inducing signaling complex (DISC) involving the recruitment of the adaptor protein FADD and caspase-8. Activation of caspase-8 from this complex initiates a caspase cascade resulting in the activation of caspase-3 and subsequent cleavage of proteins leading to apoptosis. Unlike Fas, which is constitutively expressed by various cell types, FasL is predominantly expressed on activated T lymphocytes, NK cells, and at immune privileged sites. FasL is also expressed in several tumor types as a mechanism to evade immune surveillance. Similar to other members of the TNF family, FasL can be cleaved by metalloproteinases producing a 26 kDa trimeric soluble form.
Molecular Mass	~20 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence	QLFHLQKELAELESTSQMHTASSLEKQIGHPSPPPEKKELRKVAHLTGKSNSRSM PLEWEDTYGIVLLSGVKYKKGGGLVINETGLYFVYSKVYFRGQSCNNLPLSHKVYMRN SKYPQDLVMMEGKMMSYCTTGQMWARSSYLGAVFNLTSADHLYVNVSELSLVNFE ESQTFFGLYKL
Purity	Transferred into competent cells and the supernatant was purified by NI column affinity chromatography and the purity is > 85% (by SDS-PAGE).
Notes	For research use only, not for use in diagnostic procedure.
Storage	Store at 4 centigrade short term. Aliquot and store at -20 centigrade long term. Avoid freeze-thaw cycles.
Concentration	≥0.5 mg/mL
Storage Buffer	PBS, 4M Urea, pH7.4

GENE INFORMATION

Gene Name	FASLG Fas ligand (TNF superfamily, member 6) [Homo sapiens (human)]
Official Symbol	FASLG
Synonyms	FASLG; Fas ligand (TNF superfamily, member 6); APT1LG1, TNFSF6, tumor necrosis factor (ligand) superfamily, member 6; tumor necrosis factor ligand superfamily member 6; CD178; FasL; APTL; CD95 ligand; fas antigen ligand; apoptosis antigen ligand; apoptosis (APO-1) antigen ligand 1; tumor necrosis factor (ligand) superfamily, member 6; FASL; CD95L; CD95-L; TNFSF6; APT1LG1;
Gene ID	356

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


mRNA Refseq [NM_000639](#)

Protein Refseq [NP_000630](#)

MIM [134638](#)

UniProt ID [P48023](#)

SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA