

Recombinant Human SIRPG Protein, C-His-tagged

Cat. No. SIRPG-117H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human SIRPG Protein with C-His tag was expressed in E. coli.
Species	Human
Source	E.coli
Description	SIRPs (signal-regulatory proteins) are a family of transmembrane glycoproteins that were identified by their association with the Src homology 2 domaincontaining protein-tyrosine phosphatase SHP-2 in response to Insulin. The SIRP family negatively regulates the PI 3-K pathway, which may diminish EGFR-mediated motility and survival phenotypes that contribute to transformation of certain cell types. SIRP-α1 is a transmembrane protein which contains an extracellular portion with three immunoglobulin-like structures and a cytoplasmic region with four potential tyrosine phosphorylation sites. SIRP-α1 is a substrate for activated receptor tyrosine kinases. In its tyrosine phosphorylated form, SIRP-α1 binds to SH-PTP2 through SH2 interactions and acts as an SH-PTP2 substrate. SIRP-α1 has been shown to have negative regulatory effects on cellular responses induced by growth factors, oncogenes and insulin. SIRP-β1 shares extensive sequence homology with SIRP-α1 in its extracellular portion but lacks the cytoplasmic portion. SIRP-γ, originally designated SIRP-β2 (SIRP-B2, CD172g) has unique characteristics from both the α and β versions. SIRP-γ is expressed on the majority of T cells and a proportion of B cells. CD47 associates with SIRP-γ, and this interaction signals unidirectionally only.
Molecular Mass	~37 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence	EEELQMIQPEKLLLVTVGKTATLHCTVTSLLPVGPVLWFRGVGPGRELIYNQKEGHF PRVTTVSDLTKRNNMDFSIRISSITPADVGTYCYVKFRKGSPENVEFKSGPGTEMAL GAKPSAPVVLGPAARTTPEHTVSFTCESHGFSPRDITLKWFKNGNELSDFQTNVDP TGQSVAYSIRSTARVVLDPWDVRSQVICEVAHVTLQGDPLRGATANLSEAIRVPPTLE VTQQPMRVGNQVNVTCQVRKFYPQSLQLTWSSENGNVCQRETASTLTENKDGTYN WTSWFLVNISDQRDDVVLTCQVKHDGQLAVSKRLALEVTVHQKDQSSDATP
Purity	Transferred into competent cells and the supernatant was purified by NI column affinity chromatography and the purity is > 85% (by SDS-PAGE).
Notes	For research use only, not for use in diagnostic procedure.
Storage	Store at 4 centigrade short term. Aliquot and store at -20 centigrade long term. Avoid freeze-thaw cycles.
Concentration	≥0.5 mg/mL
Storage Buffer	PBS, 4M Urea, pH7.4
GENE INFORMATION	
Gene Name	SIRPG signal-regulatory protein gamma [Homo sapiens (human)]
Official Symbol	SIRPG
Synonyms	SIRPG; signal-regulatory protein gamma; signal regulatory protein beta 2 , SIRPB2; bA77C3.1; CD172g; SIRP B2; SIRPgamma; SIRP-gamma; SIRP beta 2; SIRP-beta-2; CD172g antigen; signal-regulatory protein beta 2; signal-regulatory protein beta-2; CD172 antigen-like family member B; SIRPB2; SIRP-B2; FLJ42230;
Gene ID	55423

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


mRNA Refseq NM_001039508

Protein Refseq NP_001034597

MIM 605466

UniProt ID Q9P1W8

SDS-PAGE



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA