

Recombinant Human CD1C Protein, C-His-tagged

Cat. No. CD1C-165H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human CD1C Protein with C-His tag was expressed in E. coli.
Species	Human
Source	E.coli
Description	The CD1 multigene family encodes five forms of the CD1 T-cell surface glycoprotein in human, designated CD1A, 1B, 1C, 1D and 1E. CD1, a type 1 membrane protein, has structural similarity to the MHC class I antigen and has been shown to present lipid antigens for recognition by T lymphocytes. CD1 antigens are associated with β-2-Microglobulin and expressed on cortical thymocytes, Langerhans cells, a B cell subset and some dendritic cells. Specifically, CD1A is a marker for Langerhans cell histiocytosis (LCH) and is found on interdigitating cells. Adaptor-protein complexes and CD1-associated chaperones control CD1 trafficking, and the development and activation of CD1-restricted T cells. Constitutive endocytosis of CD1B molecules and the differential sorting of MHC class II from lysosomes separate peptide- and lipid antigen-presenting molecules during dendritic cell maturation. CD1B is also expressed in interdigitating cells. The human CD1 genes are all closely linked in a cluster mapping at chromosome 1q23.1.
Molecular Mass	~31 kDa
AA Sequence	NADASQEHVSFHVLIQIFSFVNQSWARGQGSGWLDELQTHGWDSESGTIIFLHNWSK GNFSNEELSDLELLFRFYLFGLTREIQDHASQDYKYPFEVQVKAGCELHSGKSPEG

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

FFQVAFNGLDLLSFQNTTWVPSPGCGSLAQSVCHLLNHQYEGVTETVYNLIRSTCP
RFLGLLDAGKMYVHRQVRPEAWLSSRPSLGGQLLLCHASGFYKPVWVTWMR
NEQEQLGTHKGDILPNADGTWYLQVILEVASEEPAGLSCRVRHSSLGGQDIILYWGH
HFSM

Purity

Transferred into competent cells and the supernatant was purified by NI column affinity chromatography and the purity is > 85% (by SDS-PAGE).

Notes

For research use only, not for use in diagnostic procedure.

Storage

Store at 4 centigrade short term. Aliquot and store at -20 centigrade long term. Avoid freeze-thaw cycles.

Concentration

≥0.5 mg/mL

Storage Buffer

PBS, 4M Urea, pH7.4

GENE INFORMATION

Gene Name

CD1C CD1c molecule [Homo sapiens (human)]

Official Symbol

CD1C

Synonyms

CD1C; CD1c molecule; CD1, CD1c antigen , CD1C antigen, c polypeptide; T-cell surface glycoprotein CD1c; CD1C antigen, c polypeptide; cortical thymocyte antigen CD1C; differentiation antigen CD1-alpha-3; R7; CD1; CD1A; BDCA1;

Gene ID

911

mRNA Refseq

NM_001765

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq NP_001756

MIM 188340

UniProt ID P29017

SDS-PAGE



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA