

Recombinant Mouse Cxcl15 protein

Cat. No. Cxcl15-99M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse Cxcl15 protein was expressed in Escherichia coli.
Species	Mouse
Source	E.coli
ProteinLength	142
Description	Mouse Lungkine/CXCL15, also named WECHE, is a member of the ELR motif-containing CXC chemokines. The cDNA of mouse Lungkine encodes a protein of 166 amino acids (aa) with a 25 aa predicted signal peptide and a 141 aa mature protein with an extremely long C terminal tail that protrudes beyond the chemokine fold. Mouse Lungkine shares 35% aa sequence identity with human ENA-78 and 31% identity with human IL-8. The gene for mouse Lungkine has been mapped to chromosome 5. By Northern blot and in situ hybridization, Lungkine transcripts are only specifically detected in the adult and fetal lung, and its expression is up-regulated under inflammatory conditions. Lungkine protein is secreted into bronchoalveolar space and is involved in lung-specific neutrophils trafficking. Studies from Lungkine knock out mice suggests that Lungkine is an important mediator of neutrophil migration from the lung parenchyma into the airspace. Lungkine is also chemotactic for bone marrow progenitor cells and modulates hematopoietic cell differentiation.
Form	Lyophilized from a 0.2µm filtered concentrated solution in PBS, pH 7.4, with 0.02 %

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	Tween-20.
Bio-activity	Fully biologically active when compared to standard. The biological activity determined by a chemotaxis bioassay using human neutrophils is in a concentration of 20-100 ng/ml.
Molecular Mass	Approximately 16.4 kDa, a single non-glycosylated polypeptide chain containing 142 amino acids.
AA Sequence	QELRCLCIQEHSEFIPLKLIKIMVIFETIYCNRKEVIAVPKNGSMICLDPDAPWVKATV GPITNRFLPEDLKQKEFPPAMKLLYSVEHEKPLYLSFGRPENKRIFPFPIRETSRHFA DLAHNSDRNFLRDSSEVSLTGSDA
Endotoxin	Less than 1 EU/g of rMuLungkine/CXCL15 as determined by LAL method.
Purity	>95% by SDS-PAGE and HPLC analysis.
Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70 centigrade as supplied. 1 month, 2 to 8 centigrade under sterile conditions after reconstitution. 3 months, -20 to -70 centigrade under sterile conditions after reconstitution.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at ≤-20 centigrade. Further dilutions should be made in appropriate buffered solutions.

GENE INFORMATION

Gene Name Cxcl15

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Official Symbol	Cxcl15
Synonyms	CXCL15; chemokine (C-X-C motif) ligand 15; C-X-C motif chemokine 15; small-inducible cytokine B15; small inducible cytokine subfamily B, member 15; weche; Scyb15; lungkine;
Gene ID	20309
mRNA Refseq	NM_011339
Protein Refseq	NP_035469
UniProt ID	Q9WVL7

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA