Recombinant Full Length Atp Synthase Subunit A, Organellar Chromatophore(Atpi) Protein, His-Tagged

Cat. No. RFL5967PF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Full Length ATP synthase subunit a, organellar chromatophore(atpI) Protein (B1X3Y1) (1-242aa), fused to N-terminal His tag, was expressed in E. coli.
Species	Paulinella chromatophora
Source	E.coli
ProteinLength	Full Length (1-242)
Form	Lyophilized powder
AA Sequence	MVPLSFPFHVAELEVGQHLYWQIGNLNLHGQVFISSWVVISALLVLVITGTRKMERD PQG VQNLLEFLWDYLRDLAREQIGEKAYRDWLPFIGTLFLFIFGCNWGGALVPWKLI ELPNGE LGAPTADINTTVAMALLVSLSYFYAGLSRKGLRYFEYYVEPTPIMLPFKIIED FTKPLSL SFRLFGNILADELVVGVLAFLVPILVPLPAMFLGLFTSAIQALIFATLAANYIG EAVHEE HH
Purity	Greater than 90% as determined by SDS-PAGE.
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Storage	Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Storage Buffer	Tris/PBS-based buffer, 6% Trehalose, pH 8.0
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL.We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20℃/-80℃. Our default final concentration of glycerol is 50%. Customers could use it as reference.

GENE INFORMATION

Gene Name	atpI
Synonyms	atpI; PCC_0200; ATP synthase subunit a, organellar chromatophore; ATP synthase F0 sector subunit a; F-ATPase subunit IV
UniProt ID	B1X3Y1

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA