

Recombinant Full Length Bunopithecus Hoolock C-X-C Chemokine Receptor Type 1(Cxcr1) Protein, His-Tagged

Cat. No. RFL11307HF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Full Length Bunopithecus hoolock C-X-C chemokine receptor type 1(CXCR1) Protein (Q2YEG2) (1-351aa), fused to N-terminal His tag, was expressed in E. coli.
Species	Hoolock hoolock (Western hoolock gibbon) (Bunopithecus hoolock)
Source	E.coli
ProteinLength	Full Length (1-351)
Form	Lyophilized powder
AA Sequence	MWNITDPQGWDYDGDLYFTGMPPIDEDFSPCKLETETLNKYVVIITYALVFLLSLLGN SL VMLVILYSRVGRSVTDIYLLNLALADLLFALTLPWAASKVNGWIFGTFLCKVVSLL KEV NFYSGILLACISVDRYLAIVHATRTLTKRHLVKFVCVGCWGLSMILSLPFFLFR QAYH PNNSSPVCYEVLGNDTAKWRMVLRILPHTFGFIVPLLVMFLFCYGFTLHTLFKA HMGQKHR AMRVVFAVVLIFLLCWLPYNLVLFDTLMRTQLIKESCERRKDISKALEA TEILGFFHSC LNPIYAFIQNFRHGFLLKILAMHGLVSKEFLARHHVTSYTSSSVNVSS NL
Purity	Greater than 90% as determined by SDS-PAGE.
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.
Storage Buffer	Tris/PBS-based buffer, 6% Trehalose, pH 8.0
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.
GENE INFORMATION	
Gene Name	CXCR1
Synonyms	CXCR1; IL8RA; C-X-C chemokine receptor type 1; CXC-R1; CXCR-1; High affinity interleukin-8 receptor A; IL-8R A; IL-8 receptor type 1; CD antigen CD181
UniProt ID	Q2YEG2