

Recombinant Human PSMB10, GST-tagged

Cat. No. PSMB10-2016H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human PSMB10 protein, fused to GST-tag, was expressed in E.coli and purified by GSH-sepharose.
Species	Human
Source	E.coli
ProteinLength	1-273aa
Storage	The protein is stored in PBS buffer at -20°C. Avoid repeated freezing and thawing cycles.
Storage Buffer	1M PBS (58mM Na ₂ HPO ₄ , 17mM NaH ₂ PO ₄ , 68mM NaCl, pH8.) added with 100mM GSH and 1% Triton X-100, 15% glycerol.

GENE INFORMATION

Gene Name	PSMB10 proteasome (prosome, macropain) subunit, beta type, 10 [Homo sapiens]
Official Symbol	PSMB10
Synonyms	PSMB10; proteasome (prosome, macropain) subunit, beta type, 10; MECL1; proteasome subunit beta type-10; beta2i; LMP10; MGC1665; proteasome MECL-1; macropain subunit MECL-1; proteasome subunit MECL1; proteasome subunit beta 7i; proteasome subunit beta-2i; low molecular mass protein 10; proteasome catalytic

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	subunit 2i; multicatalytic endopeptidase complex subunit MECI-1; FLJ00366;
Gene ID	5699
mRNA Refseq	NM_002801
Protein Refseq	NP_002792
MIM	176847
UniProt ID	P40306
Chromosome Location	16q22.1
Pathway	APC/C-mediated degradation of cell cycle proteins, organism-specific biosystem; APC/C:Cdc20 mediated degradation of Securin, organism-specific biosystem; APC/C:Cdc20 mediated degradation of mitotic proteins, organism-specific biosystem; APC/C:Cdh1 mediated degradation of Cdc20 and other APC/C:Cdh1 targeted proteins in late mitosis/early G1, organism-specific biosystem; Activation of APC/C and APC/C:Cdc20 mediated degradation of mitotic proteins, organism-specific biosystem; Activation of NF-kappaB in B Cells, organism-specific biosystem; Adaptive Immune System, organism-specific biosystem;
Function	peptidase activity; threonine-type endopeptidase activity;