

# Active Recombinant Full Length Human MORC3 Protein, C-Flag-tagged

**Cat. No.** MORC3-55HFL    **Lot. No.** (See product label)

## SPECIFICATION

|                         |                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Overview</b> | Recombinant Full Length Human MORC3 Protein, fused to Flag-tag at C-terminus, was expressed in Mammalian cells.                                                                                                                                                                                                                                                                      |
| <b>Species</b>          | Human                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Source</b>           | Mammalian Cells                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Description</b>      | This gene encodes a protein that localizes to the nuclear matrix and forms nuclear bodies via an ATP-dependent mechanism. The protein is predicted to have coiled-coil and zinc finger domains and has RNA binding activity. Alternative splicing produces multiple transcript variants encoding distinct isoforms.                                                                  |
| <b>Form</b>             | 25 mM Tris HCl, pH 7.3, 100 mM glycine, 10% glycerol.                                                                                                                                                                                                                                                                                                                                |
| <b>Bio-activity</b>     | ELISA capture for autoantibodies                                                                                                                                                                                                                                                                                                                                                     |
| <b>Molecular Mass</b>   | 106.9 kDa                                                                                                                                                                                                                                                                                                                                                                            |
| <b>AA Sequence</b>      | MAAQPPRGIRLSALCPKFLHTNSTSHTWPFSAVAELIDNAYDPDVNAKQIWIDKTVIN<br>DHICLTFTDNGN GMTSDKLHKMLSFGFSDKVTMNGHVPVGLYGNNGFKSGSMRLGK<br>DAIVFTKNGESMSVGLLSQTYLEVIKA EHVVPPIVAFNKHQRQMINLAESKASLAAILEH<br>SLFSTEQKLLAELDAIGKKGTRIIWNLRSYKNATEF DFEKDKYDIRIPEDLDEITGKK<br>GYKKQERMDQIAPESDYSRLRAYCSILYLKPRMQIILRGQKVKTQLVSK SLAYIERDVY<br>RPKFLSKTVRITFGFNCRNKDHYGIMMYHRNRLIKAYEKVGCQLRANNMGVGVVGII |

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

ECN FLKPTHNKQDFDYTNEYRLTITALGEKLNDYWNEMKVKKNTEYPLNLPVEDIQK  
 RPDQTWVQCDACLKWR KLPDGMQDLPEKWYCSNNPDPQFRNCEVPEEPEDEDL  
 VHPTYEKTYKKTNKEKFRIHQPEMIPRINAELL FRPTALSTPSFSSPKESVPRRHLSE  
 GTNSYATRLLNNHQVPPQSEPESENLSKRRLLSTRSSILNAKNRRLS SQFENSVMYKGD  
 DDDGDVILEENSTPKPAVDHIDMKSEQSHVEQGGVQVEFVGDSPECGQTGSTST  
 SSS RCDQGNTAATQTEVPSLVVKKKEETVEDEIDVRNDAILPSCVEAEAKIHETQET  
 TDKSADDAGCQLQELR NQLLLVTEEEKENYKRQCHMFTDQIKVLQQRILEMNDKYVK  
 KETCHQSTETDAVFLLESINGKSESPDHMV SQYQQALEEIERLKKQCSALQHVKA  
 CSQCSNNESKSEMDEMAVQLDDVFRQLDKCSIERDQYKSEVELL EMEKSQIRSQC  
 EELKTEVEQLKSTNQQATDVSTSSNIEESVNHMDGESLKLRLRVNVGQLLAMIVP  
 DL  
 DLQQVNYDVDVDEILGQVVEQMSEISSTTRTRPLEQKLISEEDLAANDILDYKDDDD  
 KV

|                      |                                                                                                                                               |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Purity</b>        | > 80% as determined by SDS-PAGE and Coomassie blue staining.                                                                                  |
| <b>Stability</b>     | Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles. |
| <b>Storage</b>       | Store at -80 centigrade.                                                                                                                      |
| <b>Concentration</b> | >50 ug/mL as determined by microplate BCA method.                                                                                             |
| <b>Preparation</b>   | Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.                              |
| <b>Full Length</b>   | Full L.                                                                                                                                       |

## GENE INFORMATION


**Gene Name** MORC3 MORC family CW-type zinc finger 3 [ Homo sapiens (human) ]

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

|                        |                    |
|------------------------|--------------------|
| <b>Official Symbol</b> | MORC3              |
| <b>Synonyms</b>        | NXP2; ZCW5; ZCWCC3 |
| <b>Gene ID</b>         | 23515              |
| <b>mRNA Refseq</b>     | NM_015358.3        |
| <b>Protein Refseq</b>  | NP_056173.1        |
| <b>MIM</b>             | 610078             |
| <b>UniProt ID</b>      | Q14149             |



Coomassie blue staining of purified MORC3 protein.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA