

Active Recombinant Full Length Human ARG2 Protein, C-Flag-tagged

Cat. No. ARG2-148HFL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Full Length Human ARG2 Protein, fused to Flag-tag at C-terminus, was expressed in Mammalian cells.
Species	Human
Source	Mammalian Cells
Description	Arginase catalyzes the hydrolysis of arginine to ornithine and urea. At least two isoforms of mammalian arginase exists (types I and II) which differ in their tissue distribution, subcellular localization, immunologic crossreactivity and physiologic function. The type II isoform encoded by this gene, is located in the mitochondria and expressed in extra-hepatic tissues, especially kidney. The physiologic role of this isoform is poorly understood; it is thought to play a role in nitric oxide and polyamine metabolism. Transcript variants of the type II gene resulting from the use of alternative polyadenylation sites have been described.
Form	25 mM Tris HCl, pH 7.3, 100 mM glycine, 10% glycerol.
Bio-activity	L-Arginase activity verified in a biochemical assay: Arginase 2 activity was measured in a colorimetric biochemical assay. Arginase 1 catalyzes the conversion of arginine to ornithine and urea. After incubation of the protein in a solution containing arginine, the reaction is stopped, and the urea concentration is measured by a chemical reaction that produces a colored product that absorbs at 430 nm. By measuring the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

absorbance at 430 nm and comparing to a standard, the specific activity of this preparation of ARG2 was calculated to be approximately 10U/mg.

Unit definition: 1 unit of ARG2 converts 1 μ mole of L-arginine to ornithine and urea per minute at pH 9.5 and 37 centigrade.

Molecular Mass	36 kDa
AA Sequence	MSLRGSLSRLLQTRVHSILKKS VHSVAVIGAPFSQGQKRKGVEHGPA AIREAGLMKR LSSLGCHLKDFGD LSFTVPKDDLYNNLIVNPRSVGLANQELAEVVSRAVSDGYSC VTLGGDHS LAIGTISGHARHCPDLCVV WVD AHA DINTPLTTSSGNLHGQPV S FLLRE LQDKVPQLPGFSWIKPCISSASIVYIGLRD VDPPEHFIK NYDIQYFSMRDIDRLGIQK VMERTFDLLIGKRQRPIHLSFDIDAFDPTLAPATGTPVVGGLTYREGMYIA EEIHNTG LLSALDLVEVNPQLATSEEEAKTTANLAVDVIASSFGQTREGGHIVYDQLPTPSSPDE SENQA RVRITRTRPLEQKLISEEDLAANDILDYKDDDDKV
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining.
Stability	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
Storage	Store at -80 centigrade.
Concentration	>50 ug/mL as determined by microplate BCA method.
Preparation	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Protein Pathways	Arginine and proline metabolism, Metabolic pathways

Full Length
Full L.

GENE INFORMATION

Gene Name

ARG2 arginase 2 [Homo sapiens (human)]

Official Symbol

ARG2

Synonyms

arginase 2; kidney arginase; L-arginine amidinohydrolase; L-arginine ureahydrolase; nonhepatic arginase

Gene ID

384

mRNA Refseq

NM_001172.4

Protein Refseq

NP_001163.1

MIM

107830


UniProt ID

P78540

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com
 Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Coomassie blue staining of purified ARG2 protein.

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA