

Recombinant Human GTF3C4, GST-tagged

Cat. No. GTF3C4-120H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human GTF3C4(723 a.a. - 822 a.a.), fused with GST-tag at N-terminal, was expressed in wheat germ.
Species	Human
Source	Wheat Germ
Description	General transcription factor 3C polypeptide 4 is a protein that in humans is encoded by the GTF3C4 gene.
Molecular Mass	36.74 kDa
AA Sequence	DDRTARVLIGHISKMNKQTFPEHCSLCKEILPFTDRKQAVCSNGHIWLR CFLTYS CQSLIYRRCLLDHSIARH PAPEDPDWIKRLQSPCFCDSPVF
Applications	ELISA; WB-Re; AP; Array
Storage	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

GENE INFORMATION

Gene Name	GTF3C4 general transcription factor IIIC, polypeptide 4, 90kDa [Homo sapiens (human)]
------------------	---

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Official Symbol	GTF3C4
Synonyms	GTF3C4; KAT12; TFII90; TFIIC90; TFIIC290; TFIICDELTA; general transcription factor IIC, polypeptide 4, 90kDa; general transcription factor 3C polypeptide 4; TF3C-delta; TFIIC 90 kDa subunit; general transcription factor 3C 4; transcription factor IIC subunit delta; transcription factor IIC 90 kDa subunit; NP_036336.2; EC 2.3.1.48
Gene ID	9329
mRNA Refseq	NM_012204
Protein Refseq	NP_036336
MIM	604892
UniProt ID	Q9UKN8
Chromosome Location	9q34.13
Pathway	RNA Polymerase I, RNA Polymerase III, and Mitochondrial Transcription; RNA Polymerase III Abortive And Retractive Initiation; RNA Polymerase III Transcription Initiation
Function	contributes_to DNA binding; enzyme activator activity; histone acetyltransferase activity